

SCB92PX8

Cooker size

N. of cavities with energy label

Cavity heat source

Hob type

Type of main oven

Type of second oven Cleaning system main oven

EAN code

Energy efficiency class

Energy efficiency class, second cavity

90x60 cm

2

ELECTRICITY

Gas

Thermo-ventilated

Static **Pyrolitic**

8017709148355

Α



Aesthetics





Design

Command panel finish

Aesthetic

Logo

Colour

Logo position

Finishing Upstand

Series

Hob colour Type of pan stands

Type of control setting

hob

Standard

Stainless steel

Classica

Embossed

Stainless steel

Facia below the oven

Satin

Yes

Concerto Stainless steel

Cast Iron

Control knobs

Type of control knobs

Controls colour No. of controls

Serigraphy colour

Display name

Door

Glass type

Handle

Handle Colour

Storage compartment

Feet color

9

Smeg Classic

Stainless steel

8

Black

Electronic 5 buttons

With 2 horizontal strips

Stopsol

Smeq Classic

Brushed stainless steel

Door

Silver

Programs / Functions main oven

No. of cooking functions Traditional cooking functions

Static

Fan assisted



Eco

Circulaire



Turbo



Small grill



Large grill



Fan grill (large)



Fan assisted base

SMEG SPA

6/12/2025



Cleaning functions



Pyrolytic

Programs / Functions auxiliary oven

Bottom element + Upper element

Traditional cooking functions, cavity 2

Small grill

Large grill

Bottom

Fan-assisted bottom

Hob technical features



Total no. of cook zones 5

Front left - Gas - Rapid - 1.00 kW

Rear left - Gas - Semi Rapid - 1.80 kW

Central - Gas - UR - 3.50 kW

Rear right - Gas - Semi Rapid - 1.80 kW

Front right - Gas - AUX - 3.00 kW

Type of gas burners Standard

Automatic electronic Yes

ignition

Gas safety valves

Burner caps

Yes

Matt black enamelled

Main Oven Technical Features



















No. of lights Net volume of the cavity 70 l

Gross volume, 1st cavity 791 Cavity material Ever Clean enamel

No. of shelves

Type of shelves Metal racks Light type Halogen **Light Power** 40 W

Cooking time setting Start and Stop

Light when oven door is Yes

open

Removable door Yes Full glass inner door Yes Removable inner door Yes Total no. of door glasses 4

No.of thermo-reflective door glasses

Safety Thermostat Yes Heating suspended Yes when door is opened

Cooling system **Tangential**

Door Lock During

Pyrolisis

Usable cavity space

Temperature control

dimensions (HxWxD)

Yes

1200 W

360X460X425 mm

Electro-mechanical

Lower heating element

Upper heating element - 1000 W

Power

Grill elememt 1700 W Large grill - Power 2700 W



Circular heating element 2000 W

- Power

Grill type Electric

Yes

Options Main Oven

Minimum Temperature Timer Yes 50 °C End of cooking acoustic Maximum temperature 280 °C Yes

alarm

Second Oven Technical Features

Net volume of the 35 I

No. total door glasses 3 second cavity No. thermo-reflective

Gross volume, 2nd 36 I door glasses cavity Safety Thermostat

Ever Clean enamel Cavity material Cooling system

Tangential No. of shelves Usable cavity space 311x206x418 mm

Type of shelves Metal racks dimensions (HxWxD)

No. of lights Temperature control Electro-mechanical

Incandescent Lower heating element - 700 W Light type

Light Power 25 W power Upper heating element - 600 W Removable door Yes

Power Full glass inner door Yes

Grill element - power 1300 W Removable inner door Yes Large grill - Power 1900 W Grill type Electric

Options Auxiliary Oven

Minimum Temperature 50 °C Maximum temperature 245 °C

Accessories included for Main Oven & Hob

Moka stand 40mm deep tray 1 Rack with back and side 1 Grill mesh

stop

20mm deep tray 1

Accessories included for Secondary Oven

Rack with back and side 1 Grill mesh 1

Wide baking tray

Electrical Connection



Electrical connection

5200 W

rating

Current 23 A Voltage 220-240 V

Voltage 2 (V) Electric cable 380-415 V Installed, Single phase Additional connection

modalities

Frequency Terminal block


Plug

Double and Three Phase

50/60 Hz

5 poles







Compatible Accessories

AIRFRY

Air fryer rack AIRFRY. Ideal for recreating traditional frying in the oven, but with fewer calories and less fat. It allows you to cook quickly and simply dishes such as French fries, fried vegetables and fish, ensuring perfect browning and crispiness.



AIRFRY2

Air fryer tray. Ideal for recreating traditional frying in the oven, but with fewer calories and less fat. It allows you to cook quickly and simply dishes such as French fries, fried vegetables and fish, ensuring perfect browning and crispiness.

BBQ

Double sided plate BBQ. Suitable for recreating succulent and crispy dishes in the oven with the typical taste of grilled cooking. The ribbed side is particularly suitable for meats and cheeses. The smooth side for fish, seafood and vegetables.



BG6090-1

Cast iron grill plate suitable for Concerto cookers and BM93-BU93



BN620-1

Enamelled tray suitable for 45 cm and 60 cm ovens. Depth 20 mm. Perfect for a wide range of savoury and sweet baking



BN640

Enamelled tray suitable for 45cm and 60cm ovens. Depth 540 mm. Perfect for cooking and roasting meat and fish in sauces. Also ideal for experimenting with lighter and crunchy side dishes

BNP608T

Teflon-coated tray, 8 mm depth, to be placed on the grid



GTP

Partially extractable telescopic guides (1 level), suitable for traditional ovens. Made in stainless steel, they guarantee stability and facilitate the smooth extraction of the trays.



GTT

Totally extractable telescopic guides (1 level), suitable for traditional ovens. Made in stainless steel, they guarantee stability and facilitate the smooth extraction of the trays.



KITH95

Height extension feet (950mm), stainless steel, suitable for Concerto cookers (911-966mm)



KITPC92X9

Splashback, 90cm, stainless steel, for Concerto cookers with double pyrolitic ovens



KITPDQ

Height reduction feet (850mm), stainless steel, for Concerto cookers (850-881mm)



PALPZ



Pizza shovel with folding handle. Dimensions L31.5 x H32.5 cm. Easy and convenient to use and store. Perfect for serving pizza, bread and savory pastries in a safe and professional way.



SFLK1

Child lock

SMOLD



Set of 7 silicone moulds for ice creams, ice lollies, pralines, ice cubes or to portion food. Usable from -60°C to +230°C



STONE

Rectangular refractory stone Ideal for cooking pizzas with the same results as a typical wood-fired oven. Can also be used for baking bread, focaccias and other recipes such as pies, flans or biscuits Dimensions:L42 x H1,8 x P37.5 cm.



Symbols glossary

_			
	Heavy duty cast iron pan stands: for maximum stability and strength.	A A	Energy efficiency class A
	Installation in column: Installation in column.	:::	Air cooling system: to ensure a safe surface temperatures.
3	Triple glazed doors: Number of glazed doors.	4	Quadruple glazed: Number of glazed doors.
	Ever Clean Enamel: Ever Clean enamel is applied electrostatically, corner to corner and edge to edge to prevent cracking or cracks over time. It is a particular pyrolytic enamel, resistant to acids which, in addition to being pleasantly bright, promotes greater cleaning of the oven walls, thanks to its lower porosity. It is baked at over 850 °C and slowly polymerized at a scientifically determined rate to ensure uniform depth and strength. Ever Clean enamel creates an impeccable finish both on the inside of the oven and on the trays, making the surfaces of the oven incredibly easy to maintain over time as it reduces the adhesion of fat during cooking.	₩)	Fan assisted base: the mix of fan and lower heating element alone allows to finish cooking foods already cooked on the surface but not internally more quickly. This system is recommended to finish cooking foods that are already well cooked on the surface, but not internally, which therefore require a moderate higher heat. Ideal for any type of food.
(%)	Fan assisted: Intense and homogeneous traditional cooking, also suitable for complex recipes. The fan is active and the heat comes from below and from above at the same time. Ventilated cooking ensures a faster and more homogeneous result, leaving fragrant foods outside and moister inside. Ideal for baked pasta, biscuits, roasts and cobblers.		Static: Traditional cooking suitable for the preparation of one dish at a time. The fan is not active and the heat comes from below and from above at the same time. Static cooking is slower and more delicate, ideal in order to get well cooked and dry dishes even inside. Ideal for cooking all types of roasts, fatty meats, bread, filled cakes.
	Static: Traditional cooking suitable for the preparation of one dish at a time. The fan is not active and the heat comes from below and from above at the same time. Static cooking is slower and more delicate, ideal in order to get well cooked and dry dishes even inside. Ideal for cooking all types of roasts, fatty meats, bread, filled cakes.		Base: the heat comes only from the bottom of the cavity. The fan is not active. Ideal for sweet and savory pies, cobblers and pizzas. Designed to complete cooking and make food more crunchy. This symbol in gas ovens indicates the gas burner.
\bigcup	Base: the heat comes only from the bottom of the cavity. The fan is not active. Ideal for sweet and savory pies, cobblers and pizzas. Designed to	®	Circulaire: it is the perfect function for cooking all types of dishes in a more delicate way. The heat comes from the back of the oven and is

SMEG SPA 6/12/2025

distributed quickly and evenly. The fan is active.

It is also ideal for cooking on multiple levels

without mixing smells and flavors.

complete cooking and make food more crunchy

This symbol in gas ovens indicates the gas

burner.



00	90	Sr	2 9

ECO

ECO: low energy consumption cooking: this function is particularly suitable for cooking on a single shelf with low energy consumption. It is recommended for all types of food except those that can generate a lot of moisture (for example vegetables). To achieve maximum energy savings and reduce time, it is recommended to put the food in the oven without preheating the cooking compartment.

Grill: Very intense heat coming only from above from a double heating element. The fan is not active. Provides excellent grilling and gratinating results. Used at the end of cooking, it gives a uniform browning to dishes.

Half grill: For rapid cooking and browning of foods. Best results can be obtained by using the top shelf for small items, the lower shelves for larger ones, such as chops or sausages. For half grill heat is generated only at the centre of the element, so is ideal for smaller quantities.

Fan grill: very intense heat coming only from R above from a double heating element. The fan is active. It allows the optimal grilling of thickest meats. Ideal for large cuts of meat.

Light

Turbo: the heat comes from 3 directions: above. below and from the back of the oven. The fan is active. It allows quick cooking, even on several shelves without mixing the aromas. Ideal for large volumes or foods that require intense cooking.

All glass inner door: All glass inner door, a single flat surface which is simple to keep clean.

The inner door glass: can be removed with a few quick movements for cleaning.

Side lights: Two opposing side lights increase visibility inside the oven.

PYROLYSIS - AUTOMATIC CLEANING FUNCTION: the oven heats up to a temperature approaching 500 °C and chars grease and food residues into a fine ash that can be easily wiped off with a damp cloth. At such a high temperature, the door locks automatically for safety, while the temperature of the door remains controlled so it is safe to touch User adjustable function based on the level of dirt present in the

The oven cavity has 4 different cooking levels.

.5 The oven cavity has 5 different cooking levels.

Electronic control: Allows you to maintain temperature inside the oven with the precision 2-3 ° C. This enables to cook meals that are very sensitive to temperature changes, such as cakes, souffles, puddings.

Ultra rapid burners: Powerful ultra rapid burners UR offer up to 5kw of power.

The capacity indicates the amount of usable space in the oven cavity in litres.

The capacity indicates the amount of usable space in the oven cavity in litres.

Knobs control

SMEG SPA 6/12/2025

@

oven.



Benefit (TT)

Gas hob

Gas provides permanent control of the heat source and the temperature change is immediate

Equipped with a thermocouple, the gas supply is cut off if the flame is extinguished for greater safety.

Pyrolysis

Easy oven cleaning thanks to special pyrolytic function

Buttons control

Easy and intuitive timer setting with a simple buttons

Storage compartment

More space thanks to the lower compartment, ideal for storing accessories or cooking utensils

True-convection

The best cooking performances guaranteed by ventilated circular flow

Multiple fans and heating elements guarantee the perfect aerodynamic heat flow, allowing homogeneous and quicker cooking inside the cavity.

Multilevel cooking

Several cooking levels allow maximum flexibility of use

Multilevel halogen light

Internal halogen lighting on different levels guarantees excellent visibility

Removalble inner glass

Internal door glasses are easily removable for complete cleaning

Tangential cooling

New cooling system with tangential fan and airflow from the door to the splashback

Cold door

During any function, the external door glass is cold, avoiding any risk of burns

AirFry (AIRFRY optional accessory)

Lighter and tastier food thanks to airfry basket (optional accessory)

Pizza stone (optional accessory)

Baking with refractory stone for soft and crispy pizza and yeast products (STONE optional accessory)



BBQ (optional accessory)

Barbecue cooking directly in the oven with the double-sided grill (BBQ optional accessory)

Adjustable height

Cooker top flushed with the working area thanks to adjustable feet

Isothermic Cavity

The best cooking performance at the highest energy efficiency