

SCV115A



| | |
|----------------|---------------|
| Family | Wine Cooler |
| Installation | Free standing |
| Defrost | Automatic |
| Cooling type | Fan assisted |
| Hinge type | Standard |
| Hinge position | Right |



Wine cellar compartment features



| | |
|---|---------------------------|
| Number of fixed shelves | 1 |
| Number of removable shelves | 5 |
| Number of removable and folding shelves | 1 |
| Shelves material | Wood |
| Adjustable shelves | Yes |
| Type of internal light | Led |
| Air filter | Activated charcoal filter |

Programs/Functions




| | | | |
|-----------------|-------------------------------|-------------------|-----|
| Control setting | Control buttons | Control lock | Yes |
| Controls | External, in the lower socket | Temperature Alarm | Yes |
| Display | 7 digits LED | Door open alarm | Yes |

Technical Features

| | | | |
|------------------------------|------------|---------------------------------------|--------------|
| Adjustable temperature zones | 2 | Refrigerant gas type | R600a |
| Temperature range | 5-22 °C | Refrigerant Quantity (gr) | 80 g |
| Type of temperature control | Electronic | Foam agent | Cyclopentane |
| Anti-UV door glass | Yes | Metal panel on the back of the fridge | Metal |
| | | Adjustable feet | 2 Front |


| | | | |
|----------------------------|--------------------------|-------------------|-------------|
| Integrated heating element | Yes | Door opening type | With handle |
| Number of compressors | 1 | | |
| Compressor type | Low vibration compressor | | |

Performance / Energy Label - Reg. 2019

| | | | |
|--|-----------|--|------------------|
|  | | | |
| Annual energy consumption | 181 kWh/a | Sum of the volumes of the chill compartment(s) and the unfrozen compartment(s) | 368 l |
| Energy efficiency class | G | Climate class | SN, N, ST |
| Airborne acoustical noise emission class | D | EEL | 179 % |
| Total net volume | 368 l | Noise level | 42 dB(A) re 1 pW |

Electrical Connection

| | | | |
|------------------------------|--------------|----------------|-----------|
| Plug | (F;E) Schuko | Voltage (V) | 220-240 V |
| Electrical connection rating | 200 W | Frequency (Hz) | 50 Hz |
| Current | 1 A | | |



Symbols glossary



The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether.



LED display: to show programmes, functions and options selected and the time to the end of the cycle.



Ventilated: Forced distribution of cold air in the refrigerator compartment, which allows even temperature distribution within the fridge.



Fingerprint proof stainless steel: Fingerprint proof stainless steel keeps stainless steel looking as good as new.



LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance.



Energy efficiency class G

Benefit (TT)

External handle

Handle with sober and elegant aesthetics, for easy door opening

UV-protected door glass

The UV-protected door glass protects the bottles from the passage of light into the wine cooler for impeccable storage

Display Shelf

The repositionable display shelf ensures that the best bottles are always in view, with the possibility of displaying magnum bottles as well

LED lights

LED lights ensure perfect multi-level visibility inside the wine cooler

Activated charcoal air filter

The activated charcoal air filter ensures excellent quality of the air and is easy to maintain

Low-vibration compressor

The low-vibration compressor avoids exposing the bottles to prolonged vibrations, which could compromise the quality of the wine