# SCV115GS



| | |
|---|---|
| **Installation** | Free standing |
| **Reference width** | Until 60 |
| **Reference height** | 160 - 200 |
| **Defrost** | Automatic |
| **Cooling type** | Fan assisted |
| **Hinge type** | Standard |
| **Hinge position** | Left |

## Wine cellar compartment features

| | |
|---|---|
| **Number of fixed shelves** | 1 |
| **Number of removable shelves** | 5 |
| **Number of removable and folding shelves** | 1 |
| **No. of lights** | 1 |
| **Shelves material** | Wood |
| **Adjustable shelves** | Yes |
| **Type of internal light** | Led |
| **Air filter** | Activated charcoal filter |

## Programs/Functions

| | | | |
|---|---|---|---|
| **Control setting** | Control buttons | **Control lock** | Yes |
| **Controls** | Inner, in the cellar compartment | **Temperature Alarm** | Yes |
| | | **Door open alarm** | Yes |
| **Display** | 7 digits LED | | |

## Technical Features

| | | | |
|---|---|---|---|
| **Adjustable temperature zones** | 2 | **Compressor type** | Low vibration compressor |
| **Temperature range** | 5-22 °C | **Refrigerant gas type** | R600a |
| **Type of temperature control** | Electronic | **Foam agent** | Cyclopentane |
| | | **Metal panel on the back of the fridge** | Metal |


| | | | |
|---|---|---|---|
| **Anti-UV door glass** | Yes | **Adjustable feet** | 2 Front |
| **Integrated heating element** | Yes | **Door opening type** | With handle |
| **Number of compressors** | 1 | | |

## Performance / Energy Label - Reg. 2019

| | | | |
|---|---|---|---|
| **Max Capacity (bottles 0,75lt)** | 197 | **Sum of the volumes of the chill compartment(s) and the unfrozen compartment(s)** | 368 l |
| **Annual energy consumption** | 173 kWh/a | **Climate class** | SN, N, ST |
| **Energy efficiency class** | G | **EEI** | 171 % |
| **Airborne acoustical noise emission class** | C | **Noise level** | 39 dB(A) re 1 pW |
| **Total net volume** | 368 l | | |

## Electrical Connection

| | | | |
|---|---|---|---|
| **Electrical connection rating** | 200 W | **Frequency (Hz)** | 50-60 Hz |
| **Current** | 1 A | **Plug** | (F;E) Schuko |
| **Voltage (V)** | 220-240 V | | |



# Symbols glossary



The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether.




LED display: to show programmes, functions and options selected and the time to the end of the cycle.



Fingerprint proof stainless steel: Fingerprint proof stainless steel keeps stainless steel looking as good as new.




Energy efficiency class G



Ventilated: Forced distribution of cold air in the refrigerator compartment, which allows even temperature distribution within the fridge.




LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance.