

# SE232TD1



|                |                                    |
|----------------|------------------------------------|
| Product Family | Hob                                |
| Built-in       | Ultra-low profile or Fully Flushed |
| Dimensions     | 30 cm                              |
| Power supply   | Electric                           |
| Type           | Ceramic                            |
| EAN code       | 8017709312022                      |



## Aesthetics



|                         |               |
|-------------------------|---------------|
| Aesthetics              | Universal     |
| Colour                  | Black         |
| Finishing               | Glass         |
| Material                | Glass         |
| Glass Type              | Ceramic       |
| Glass edge              | Straight edge |
| Type of control setting | Digi Touch    |
| Slider                  | Red           |
| Control knobs position  | Front         |
| Logo                    | Silk screen   |
| Serigraphy colour       | Grey          |

## Program / Functions

|                           |     |
|---------------------------|-----|
| No. of ceramic cook zones | 2   |
| Main on/off switch        | Yes |
| Power levels              | 9   |
| Total no. of cook zones   | 2   |

## Options



|                   |            |                       |     |
|-------------------|------------|-----------------------|-----|
| Standard cut out  | 490x270 mm | Show Room Demo Option | Yes |
| End cooking timer | 2          |                       |     |
| Minute minder     | 1          |                       |     |

Control Lock / Child Safety Yes

## Technical Features



Rear centre - Ceramic - double - 1.70 kW - Ø 12.0 - Ø 18.0 cm

Front centre - Ceramic - single - 1.20 kW - Ø 14.5 cm

Automatic switch off when overheat Yes

Residual heat indicator Yes

Automatic switch off when overflow Yes

## Electrical Connection

Nominal power (W) 2900 W

Current 13 A

Voltage (V) 220-240 V


Type of electric cable Single and Double phase

Frequency (Hz) 50/60 Hz

Power supply cable length 130 cm

Terminal Box 3 poles

Plug No



---

## Compatible Accessories

---



### SCRP

Induction and ceramic hobs and teppanyaki scraper

---

## Symbols glossary

---

- |  |   |   |   |
|--|---|---|---|
|  | Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.      |  | Touch control   |
|  | Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit. |  | Glass ceramic: The base of the hob is made glass ceramic. Heating is performed by the heating elements Hi-Light.  |
|  | Overfill protection: The special overfill protection shuts down the stove in the presence of overflow of liquids.       |  | Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 ° C, the indicator goes out. |
|  | Timer: All ceramic hobs have a timer which automatically ends cooking after a preset time.                              |   |   |