

SE232TD1



Product Family

Built-in type Ultra-low profile or Fully Flushed

Hob

Dimensions 30 cm
Power supply Electric
Type Ceramic

EAN code 8017709312022



Aesthetics



AestheticUniversaleColourBlackFinishingGlassMaterialGlassGlass typeCeramicGlass edgeStraight edgeType of control settingDigi Touch

LED colours Red
Control knob position Front
Serigraphy colour Grey

Programs / Functions

Total no. of cook zones 2
No. of ceramic cook zones 2
Main on/off switch Yes
Power levels 9

Options





Worktop Cut-Out 490x270 mm Showroom Demo Option Yes
End cooking timer 2 Control Lock / Child Yes

Minute minder 1

Safety



Technical Features







Rear-centre - Ceramic - Double - 1.70 kW - Ø 12.0 - Ø 18.0 cm

Yes

Front-centre - Ceramic - Single - 1.20 kW - Ø 14.5 cm

Automatic switch off

Yes

when overheat

Automatic switch off

when overflow

Residual heat indicator Yes

Electrical Connection

Electrical connection

2900 W

rating (W)

13 A

Voltage (V)

220-240 V

Type of electric cable

phase

installed


Current

Yes, Single and Double

Frequency (Hz) 50/60 Hz Power supply cable 130 cm length

iciigtii

Terminal box 3 poles





Not included accessories



SCRP

Non-scratch hob scraper - suitable for induction and ceramic hobs



Symbols glossary (TT)



Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.



Touch control



Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit.



Glass ceramic: The base of the hob is made glass ceramic. Heating is performed by the heating elements Hi-Light.



Overfill protection: The special overfill protection shuts down the stove in the presence of overflow of liquids.



Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 ° C, the indicator goes out.



Timer: All ceramic hobs have a timer which automatically ends cooking after a preset time.