


# SE232TD1



<b>Product Family</b>	Hob
<b>Built-in type</b>	Ultra-low profile or Fully Flushed
<b>Dimensions</b>	30 cm
<b>Power supply</b>	Electric
<b>Type</b>	Ceramic
<b>EAN code</b>	8017709312022



## Aesthetics



<b>Aesthetic</b>	Universale
<b>Colour</b>	Black
<b>Finishing</b>	Glass
<b>Material</b>	Glass
<b>Glass type</b>	Ceramic
<b>Glass edge</b>	Straight edge
<b>Type of control setting</b>	Digi Touch
<b>LED colours</b>	Red
<b>Control knob position</b>	Front
<b>Serigraphy colour</b>	Grey

## Programs / Functions

<b>No. of ceramic cook zones</b>	2
<b>Main on/off switch</b>	Yes
<b>Power levels</b>	9
<b>Total no. of cook zones</b>	2

## Options



<b>Worktop Cut-Out</b>	490x270 mm	<b>Showroom Demo Option</b>	Yes
<b>End cooking timer</b>	2	<b>Control Lock / Child Safety</b>	Yes
<b>Minute minder</b>	1		

## Technical Features



Rear-centre - Ceramic - Double - 1.70 kW - Ø 12.0 - Ø 18.0 cm

Front-centre - Ceramic - Single - 1.20 kW - Ø 14.5 cm

Automatic switch off when overheat Yes

Residual heat indicator Yes

Automatic switch off when overflow Yes

## Electrical Connection

Plug Not present

Electrical connection rating (W) 2900 W

Current 13 A


Voltage (V) 220-240 V

Type of electric cable installed Yes, Single and Double phase

Frequency (Hz) 50/60 Hz

Power supply cable length 130 cm

Terminal box 3 poles



---

## Not included accessories

---










### SCRP

Non-scratch hob scraper - suitable for induction and ceramic hobs

---

## Symbols glossary

---

- |  |   |   |   |
|--|---|---|---|
|  | Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.  |  | Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit. |
|  | Glass ceramic: The base of the hob is made glass ceramic. Heating is performed by the heating elements Hi-Light.  |  | Overfill protection: The special overfill protection shuts down the stove in the presence of overflow of liquids.       |
|  | Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 ° C, the indicator goes out. |  | Timer: All ceramic hobs have a timer which automatically ends cooking after a preset time.                              |
|  | Touch control   |   |   |