

SE232TD1



| | |
|----------------|------------------------------------|
| Product Family | Hob |
| Built-in type | Ultra-low profile or Fully Flushed |
| Dimensions | 30 cm |
| Power supply | Electric |
| Type | Ceramic |
| EAN code | 8017709312022 |



Aesthetics



| | |
|-------------------------|---------------|
| Aesthetic | Universale |
| Colour | Black |
| Finishing | Glass |
| Material | Glass |
| Glass type | Ceramic |
| Glass edge | Straight edge |
| Type of control setting | Digi Touch |
| LED colours | Red |
| Control knob position | Front |
| Serigraphy colour | Grey |

Programs / Functions

| | |
|---------------------------|-----|
| No. of ceramic cook zones | 2 |
| Main on/off switch | Yes |
| Power levels | 9 |
| Total no. of cook zones | 2 |

Options



| | | | |
|-------------------|------------|----------------------|-----|
| Worktop Cut-Out | 490x270 mm | Showroom Demo Option | Yes |
| End cooking timer | 2 | Control Lock / Child | Yes |
| Minute minder | 1 | Safety | |

Technical Features



Rear-centre - Ceramic - Double - 1.70 kW - Ø 12.0 - Ø 18.0 cm

Front-centre - Ceramic - Single - 1.20 kW - Ø 14.5 cm

Automatic switch off when overheat Yes

Residual heat indicator Yes

Automatic switch off when overflow Yes

Electrical Connection

Plug Not present

Electrical connection rating (W) 2900 W

Current 13 A


Voltage (V) 220-240 V

Type of electric cable installed Yes, Single and Double phase

Frequency (Hz) 50/60 Hz

Power supply cable length 130 cm

Terminal box 3 poles










Compatible Accessories



SCRP

Non-scratch hob scraper - suitable for induction and ceramic hobs

Symbols glossary

| | | | |
|--|---|---|---|
|  | Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed. |  | Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit. |
|  | Glass ceramic: The base of the hob is made glass ceramic. Heating is performed by the heating elements Hi-Light. |  | Overfill protection: The special overfill protection shuts down the stove in the presence of overflow of liquids. |
|  | Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 ° C, the indicator goes out. |  | Timer: All ceramic hobs have a timer which automatically ends cooking after a preset time. |
|  | Touch control | | |

Benefit (TT)

Ceramic hobs

Shorter cooking times and constant temperature control thanks to the ceramic cooktop, ensuring high performance

Immediate access to functions via touch display, for simple and intuitive control

Nine power levels and Boost function for optimal cooking performance