

## SE232TD1



### Product Family

Hob

### Built-in type

Ultra-low profile or Fully Flushed

### Dimensions

30 cm

### Power supply

Electric

### Type

Ceramic

### EAN code

8017709312022



## Aesthetics



### Aesthetic

Universale

### Colour

Black

### Finishing

Glass

### Material

Glass

### Glass type

Ceramic

### Glass edge

Straight edge

### Type of control setting

Digi Touch

### LED colours

Red

### Control knob position

Front

### Logo

Silk screen

### Serigraphy colour

Grey

## Program / Functions

### No. of ceramic cook zones

2

### Main on/off switch

Yes

### Power levels

9

### Total no. of cook zones

2

## Options



### Worktop Cut-Out

490x270 mm

**Showroom Demo Option** Yes

### End cooking timer

2

### Minute minder

1

Control Lock / Child Safety Yes

## Technical Features



Rear-centre - Ceramic - Double - 1.70 kW - Ø 12.0 - Ø 18.0 cm

Front-centre - Ceramic - Single - 1.20 kW - Ø 14.5 cm


Automatic switch off when overheat Yes

Residual heat indicator Yes

Automatic switch off when overflow Yes

## Electrical Connection

Electrical connection rating (W)	2900 W	Frequency (Hz)	50/60 Hz
Current	13 A	Power supply cable length	130 cm
Voltage (V)	220-240 V	Terminal box	3 poles
Type of electric cable installed	Yes, Single and Double phase	Plug	Not present



---

## Compatible Accessories

---



**SCRP**

Non-scratch hob scraper - suitable for induction and ceramic hobs

## Symbols glossary



Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.



Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit.



Overfill protection: The special overfill protection shuts down the stove in the presence of overflow of liquids.



Timer: All ceramic hobs have a timer which automatically ends cooking after a preset time.



Touch control



Glass ceramic: The base of the hob is made glass ceramic. Heating is performed by the heating elements Hi-Light.



Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 ° C, the indicator goes out.