

SE232TX1



Product Family

Built-in type

Dimensions

Type

EAN code


Hob

Ultra-low profile or Fully Flushed

30 cm

Ceramic

8017709312053



Aesthetics



Aesthetic

Colour

Finishing

Material

Glass type

Glass edge

Frame

Frame colour

Type of control setting

LED colours

Control knob position

Logo

Serigraphy colour

Universale

Black

Glass

Glass

Ceramic

Straight edge

Yes

Stainless Steel

Digi Touch

Red

Front

Silk screen

Grey

Program / Functions

No. of ceramic cook zones

2

Main on/off switch

Yes

Power levels

9

Options



Worktop Cut-Out

490x270 mm

Showroom Demo Option Yes

End cooking timer	2	Control Lock / Child Safety	Yes
Minute minder	1		

Technical Features



Front-centre - 1200 kW - 14,5 cm

Rear-centre - 1700 kW - 12,0 - 18,0 cm


Automatic switch off when overheated

Residual heat indicator Yes

Automatic switch off when overflow

Electrical Connection

Electrical connection rating (W)	2900 W	Frequency (Hz)	50-60 Hz
Current	13 A	Power supply cable length	130 cm
Voltage (V)	220-240 V	Terminal box	3 poles
Type of electric cable installed	Yes, Single and Double phase	Plug	Not present



Compatible Accessories



SCRP

Non-scratch hob scraper - suitable for induction and ceramic hobs

Symbols glossary

	Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.		Touch control
	Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit.		Glass ceramic: The base of the hob is made glass ceramic. Heating is performed by the heating elements Hi-Light.
	Overfill protection: The special overfill protection shuts down the stove in the presence of overflow of liquids.		Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 ° C, the indicator goes out.
	Timer: All ceramic hobs have a timer which automatically ends cooking after a preset time.		