

# SE263TD1



Product Family	Hob
Built-in type	Ultra-low profile or Fully Flushed
Dimensions	60 cm
Power supply	Electric
Type	Ceramic
EAN code	8017709312046



## Aesthetics



Aesthetic	Universale
Colour	Black
Finishing	Glass
Material	Glass
Glass type	Ceramic
Glass edge	Straight edge
Type of control setting	Digi Touch
LED colours	Red
Control knob position	Front
Serigraphy colour	Grey

## Program / Functions

No. of ceramic cook zones	3
Main on/off switch	Yes
Power levels	9
Total no. of cook zones	3

## Options



Worktop Cut-Out	490x560 mm	Residual time indicator	Yes
End cooking timer	3	Showroom Demo Option	Yes
Minute minder	1	Control Lock / Child Safety	Yes
End of cooking alarm	Yes		

## Technical Features



Rear-left - Ceramic - Single - 1.80 kW - Ø 18.0 cm

Front-left - Ceramic - Single - 1.20 kW - Ø 14.5 cm

Centre-right - Ceramic - Double - 2.40 kW - Ø21.0 - Ø 27.0 cm

**Automatic switch off when overheat** Yes


**Residual heat indicator** Yes

**Automatic switch off when overflow** Yes

## Electrical Connection

**Plug** Not present  
**Electrical connection rating (W)** 5400 W  
**Current** 25 A  
**Voltage (V)** 220-240 V  
**Voltage 2 (V)** 380-415 V

**Type of electric cable installed** Yes, Single and Double phase  
**Frequency (Hz)** 50/60 Hz  
**Power supply cable length** 130 cm  
**Terminal box** 4 poli



---

## Compatible Accessories

---











### SCRP

Non-scratch hob scraper - suitable for induction and ceramic hobs

---

## Symbols glossary

---

	Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.		Touch control
	Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit.		Glass ceramic: The base of the hob is made glass ceramic. Heating is performed by the heating elements Hi-Light.
	Overfill protection: The special overfill protection shuts down the stove in the presence of overflow of liquids.		Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 ° C, the indicator goes out.
	Time elapsed: shows how long the cooking zone has been in use.		Timer: All ceramic hobs have a timer which automatically ends cooking after a preset time.

---

## Benefit (TT)

---

### **Ceramic hobs**

Shorter cooking times and constant temperature control thanks to the ceramic cooktop, ensuring high performance

### **Glass**

Brightness and elegance in the kitchen: the acid-etched glass gives the surface a refined, modern look that enhances the space.

### **Ceramic**

Stability and design even up to 700°C: the cooktop material resists high temperatures without deforming, maintaining aesthetics and functionality even with intensive use.

Immediate access to functions via touch display, for simple and intuitive control

### **Control knob position frontal**

Instant and intuitive control thanks to front controls, easily accessible for practical use.

Nine power levels and Boost function for optimal cooking performance