

SE264TD1



Product Family

Built-in	Hob
Dimensions	Ultra-low profile or Fully Flushed
Power supply	60 cm
Type	Electric
EAN code	Ceramic

8017709312039



Aesthetics



Aesthetics

Colour	Universal
Finishing	Black
Material	Glass
Glass Type	Glass
Glass edge	Ceramic
Type of control setting	Straight edge
Slider	Digi Touch
Control knobs position	Red
Logo	Front
Serigraphy colour	Silk screen

Universal

Black

Glass

Ceramic

Straight edge

Digi Touch

Red

Front

Silk screen

Grey

Program / Functions

No. of ceramic cook zones

4

Main on/off switch

Yes

Power levels

9

Total no. of cook zones

4

Options



Standard cut out

490x560 mm

Residual time indicator

Yes

End cooking timer

4

Minute minder

1

End of cooking acoustic alarm Yes

Show Room Demo Option Yes

Control Lock / Child Safety Yes

Technical Features



Rear left - Ceramic - single - 2.10 kW - Ø 21.0 cm

Front left - Ceramic - single - 1.20 kW - Ø 14.5 cm

Rear right - Ceramic - single - 1.80 kW - Ø 18.0 cm

Front right - Ceramic - single - 1.20 kW - Ø 14.5 cm

Automatic switch off when overheat Yes

Residual heat indicator Yes

Automatic switch off when overflow Yes

Electrical Connection

Nominal power (W)

6300 W

Frequency (Hz)

50/60 Hz

Current

27 A

Power supply cable length

130 cm

Voltage (V)

220-240 V

Terminal Box

4 poli

Voltage 2 (V)


380-415 V

Plug

No

Type of electric cable

Single and Double phase



Compatible Accessories



SCRP

Induction and ceramic hobs and teppanyaki scraper

Symbols glossary



Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.



Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit.



Overfill protection: The special overfill protection shuts down the stove in the presence of overflow of liquids.



Time elapsed: shows how long the cooking zone has been in use.



Touch control



Glass ceramic: The base of the hob is made glass ceramic. Heating is performed by the heating elements Hi-Light.



Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 ° C, the indicator goes out.



Timer: All ceramic hobs have a timer which automatically ends cooking after a preset time.