

SE364ETD




Product Family Hob

Built-in type Ultra-low profile or Fully Flushed

Dimensions60 cmPower supplyElectricTypeCeramic

EAN code 8017709233730



Aesthetics



Aesthetic Universale Colour Black **Finishing** Glass Material Glass Glass type Ceramic Glass edge Straight edge Digi Touch Type of control setting Control knob position Front Serigraphy colour Grey

Programs / Functions



Total no. of cook zones 4

No. of ceramic cook zones 4

No. of cooking zones with booster 4

Main on/off switch Yes

Power levels 9

Options













Worktop Cut-Out

490x560 mm

Limited Power Consumption Mode Yes



Keep warm automatic Yes Limited Power 2800, 4000 W function Consumption Mode in W

End cooking timer 4 Showroom Demo Option Yes
Control Lock / Child Yes

Minute minder 1 Safety
End of cooking alarm Yes Control Lock / Child Yes

Quick start Yes

Residual time indicator Yes

Technical Features

STOP *C∓ 💮 }--

Front-left - Ceramic - Single - 1.80 kW - Ø 18.4 cm Rear-left - Ceramic - Single - 1.20 kW - Ø 14.8 cm

Rear-right - Ceramic - Double - 1.00 - 2.20 kW - Ø 14.8 - Ø 21.4 cm

Front-right - Ceramic - Single - 1.20 kW - Ø 14.8 cm

Automatic switch off Yes Residual heat indicator Yes

when overheat

Automatic switch off

Yes


Automatic switch off Yes when overflow

Electrical Connection

Plug Not present Additional connection Yes, Three and Single/Twophase modalities 6400 W **Electrical connection** Type of electric cable Yes, Three and Single/Tworating (W) supplied phase Current 19 A 50/60 Hz 220-240 V Frequency (Hz) Voltage (V) 150 cm Power supply cable Voltage 2 (V) 380-415 V

length
Terminal box 6 poles







Not included accessories



SCRP

Non-scratch hob scraper - suitable for induction and ceramic hobs



Symbols glossary (TT)



Power booster: option allows the zone to work at full power when very intense cooking is necessary.



Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.



ECO-logic: option allows you to restrict the power limit of the appliance real energy saving.



This function allows you to keep cooked food warm without burner it



Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit.



Glass ceramic: The base of the hob is made glass ceramic. Heating is performed by the heating elements Hi-Light.



Overfill protection: The special overfill protection shuts down the stove in the presence of overflow of liquids.



Quick Start function: the chosen temperature is reached faster. The heating element works at maximum power until the right temperature is reached.



Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 ° C, the indicator goes out.



Time elapsed: shows how long the cooking zone has been in use.



Timer: All ceramic hobs have a timer which automatically ends cooking after a preset time.



Touch control