

SE364TD




Product Family Hob

Built-in type Ultra-low profile or Fully Flushed

Dimensions60 cmPower supplyElectricTypeCeramic

EAN code 8017709234720



Aesthetics



Aesthetic Universale Colour Black Glass **Finishing** Material Glass Glass type Ceramic Glass edge Straight edge Type of control setting Digi Touch Control knob position Front Silk screen Logo Serigraphy colour Grey

Program / Functions



No. of ceramic cook zones 4
No. of cooking zones with booster 4
Main on/off switch Yes
Power levels 9
Total no. of cook zones 4

Options













Worktop Cut-Out

7

490x560 mm



Keep warm automatic Yes **Limited Power** Yes function **Consumption Mode** 4 End cooking timer Limited Power 2800, 4000 W Minute minder 1 Consumption Mode in W End of cooking alarm Yes Showroom Demo Option Yes Residual time indicator Yes Control Lock / Child Yes Safety Quick start Yes

Technical Features







Front-left - Ceramic - Single - 1.80 kW - Ø 18.4 cm Rear-left - Ceramic - Single - 1.20 kW - Ø 14.8 cm Rear-right - Ceramic - Single - 1.80 kW - Ø 18.4 cm Front-right - Ceramic - Single - 1.20 kW - Ø 14.8 cm

 $Automatic \ switch \ off$

when overheat

Automatic switch off

when overflow


Yes

Yes

Residual heat indicator Yes

Electrical Connection

6000 W Type of electric cable **Electrical connection** Yes, Three and Single/Twosupplied rating (W) phase Current 18 A Frequency (Hz) 50/60 Hz Voltage (V) 220-240 V Power supply cable 150 cm length Voltage 2 (V) 380-415 V Terminal box 6 poles Additional connection Yes, Three and Single/Twomodalities phase Plug Not present





Compatible Accessories



SCRP

Non-scratch hob scraper - suitable for induction and ceramic hobs



Symbols glossary



Power booster: option allows the zone to work at full power when very intense cooking is necessary.



Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.



Touch control



ECO-logic: option allows you to restrict the power limit of the appliance real energy saving.



This function allows you to keep cooked food warm without burner it



Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit.



Glass ceramic: The base of the hob is made glass ceramic. Heating is performed by the heating elements Hi-Light.



Overfill protection: The special overfill protection shuts down the stove in the presence of overflow of liquids.



Quick Start function: the chosen temperature is reached faster. The heating element works at maximum power until the right temperature is reached.



Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 ° C, the indicator goes out.



Time elapsed: shows how long the cooking zone has been in use.



Timer: All ceramic hobs have a timer which automatically ends cooking after a preset time.