

# SE364TDAU



Product Family Hob

Built-in type Ultra-low profile or Fully Flushed

Dimensions60 cmPower supplyElectricTypeCeramic

**EAN code** 8017709265755



#### **Aesthetics**



AestheticUniversaleColourBlackFinishingGlassMaterialGlassGlass typeCeramicGlass edgeStraight edgeType of control settingTouch controls

Control knob positionFrontSerigraphy colourGrey

## **Programs / Functions**



Total no. of cook zones 4

No. of ceramic cook zones 4

No. of cooking zones with booster 4

Main on/off switch Yes

Power levels 9

## **Options**













Standard cut out 490x560 mm

Limited Power Consumption Mode Yes



Keep warm automatic Yes **Limited Power** 2800, 4000 W function Consumption Mode in W Showroom Demo Option Yes End cooking timer 4 Control Lock / Child Yes Minute minder 1 Safety End of cooking alarm Yes Quick start Yes Residual time indicator Yes

#### **Technical Features**







Front-left - Ceramic - Single - 1.80 kW - Ø 18.4 cm Rear-left - Ceramic - Single - 1.20 kW - Ø 14.8 cm Rear-right - Ceramic - Single - 1.80 kW - Ø 18.4 cm Front-right - Ceramic - Single - 1.20 kW - Ø 14.8 cm

Automatic switch off when overheat

Yes

Yes


 $\ \, \text{Automatic switch off} \\$ 

when overflow

Residual heat indicator Yes

#### **Electrical Connection**

**Electrical connection** 6000 W Type of electric cable Yes, Three and Single/Twosupplied rating (W) phase 26 A 50/60 Hz Current Frequency (Hz) 220-240 V Voltage (V) Power supply cable 150 cm length 380-415 V Voltage 2 (V) Terminal box 6 poles Type of electric cable Double universal





## Not included accessories



#### SCRP

Induction and ceramic hobs and teppanyaki scraper



#### Symbols glossary (TT)



Power booster: option allows the zone to work at full power when very intense cooking is necessary.



Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.



Touch control



ECO-logic: option allows you to restrict the power limit of the appliance real energy saving.



Keep warm function: Keep warm function keeps the cooked food heated. In this mode the heating zone operates at a minimum capacity for 120 minutes and then turns off automatically.



Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit.



Glass ceramic: The base of the hob is made glass ceramic. Heating is performed by the heating elements Hi-Light.



Overfill protection: The special overfill protection shuts down the stove in the presence of overflow of liquids.



Quick Start function: the chosen temperature is reached faster. The heating element works at maximum power until the right temperature is reached.



Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 ° C, the indicator goes out.



Time elapsed: shows how long the cooking zone has been in use.



Timer: All ceramic hobs have a timer which automatically ends cooking after a preset time.