

SE364TDL




Product Family Hob

Built-in type Ultra-low profile or Fully Flushed

Dimensions60 cmPower supplyElectricTypeCeramic

EAN code 8017709240950



Aesthetics



Aesthetic Universale Colour Black Glass **Finishing** Material Glass Glass type Ceramic Glass edge Straight edge Digi Touch Type of control setting Control knob position Front Serigraphy colour Grey

Program / Functions



No. of ceramic cook zones 4

No. of cooking zones with booster 4

Main on/off switch Yes

Power levels 9

Total no. of cook zones 4

Options











Worktop Cut-Out 490x560 mm

Residual time indicator Yes



Keep warm automatic Yes Showroom Demo Option Yes function Control Lock / Child Yes

End cooking timer 4 Safety
Minute minder 1 Quick start Yes

Technical Features

End of cooking alarm







Front-left - Ceramic - Single - 1.80 kW - Ø 18.4 cm Rear-left - Ceramic - Single - 1.20 kW - Ø 14.8 cm Rear-right - Ceramic - Single - 1.80 kW - Ø 18.4 cm Front-right - Ceramic - Single - 1.20 kW - Ø 14.8 cm

Yes

Yes

Automatic switch off Yes

when overheat


Automatic switch off

when overflow

Residual heat indicator Yes

Electrical Connection

Plug Not present Additional connection Yes, Single phase modalities 3000 W **Electrical connection** Type of electric cable rating (W) Yes, Single phase supplied Current 13 A 50/60 Hz Frequency (Hz) Voltage (V) 220-240 V Power supply cable 150 cm Voltage 2 (V) 380-415 V length Terminal box 6 poles





Compatible Accessories



SCRP

Non-scratch hob scraper - suitable for induction and ceramic hobs



Symbols glossary



Power booster: option allows the zone to work at full power when very intense cooking is necessary.



Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.



This function allows you to keep cooked food warm without burner it



Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit.



Glass ceramic: The base of the hob is made glass ceramic. Heating is performed by the heating elements Hi-Light.



Overfill protection: The special overfill protection shuts down the stove in the presence of overflow of liquids.



Quick Start function: the chosen temperature is reached faster. The heating element works at maximum power until the right temperature is reached.



Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 ° C, the indicator goes out.



Time elapsed: shows how long the cooking zone has been in use.



Timer: All ceramic hobs have a timer which automatically ends cooking after a preset time.



Touch control



Benefit (TT)

Ceramic hobs

Shorter cooking times and constant temperature control thanks to the ceramic cooktop, ensuring high performance

Glass

Brightness and elegance in the kitchen: the acid-etched glass gives the surface a refined, modern look that enhances the space

Ceramic

Stability and design even up to 700 °C: the cooktop material resists high temperatures without deforming, maintaining aesthetics and functionality even with intensive use

Immediate access to functions via touch display, for simple and intuitive control

Control knob position frontal

Instant and intuitive control thanks to front controls, easily accessible for practical use

Keep Warm function

Dishes always served at the right temperature, even after cooking, thanks to the Keep Warm function

Nine power levels and Boost function for optimal cooking performance