

SE364TDMB



Product Family

Built-in Ultra-low profile or Fully Flushed

Hob

Dimensions60 cmPower supplyElectricTypeCeramic

EAN code 8017709336387



Aesthetics



AestheticsCucinaColourBlackFinishingGlassMaterialGlassGlass TypeCeramicGlass edgeStraight edgeType of control settingControl knobs

Control knobs positionFrontNo. of controls4Controls colourBlackLogoSilk screenSerigraphy colourGrey

Program / Functions

No. of ceramic cook zones 4
Power levels 6
Total no. of cook zones 4

Options

Standard cut out 490x560 mm

Technical Features

SMEG SPA 11/12/2025







Front left - Ceramic - single - 1.80 kW - Ø 18.4 cm Rear left - Ceramic - single - 1.20 kW - Ø 14.8 cm Rear right - Ceramic - single - 1.80 kW - Ø 18.4 cm Front right - Ceramic - single - 1.20 kW - Ø 14.8 cm

Automatic switch off

when overheat

Residual heat indicator Yes

Electrical Connection


Nominal power (W) 6000 W Current 18 A Voltage (V) 220-240 V Voltage 2 (V) 380-415 V Type of electric cable Double universal Type of electric cable supplied Frequency (Hz) Power supply cable length

50/60 Hz 150 cm

phase

Yes, Three and Single/Two-

Terminal Box 6 poles



SMEG SPA 11/12/2025



Compatible Accessories



SCRP

Induction and ceramic hobs and teppanyaki scraper

SMEG SPA 11/12/2025



Symbols glossary



Knobs control



Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit.



Glass ceramic: The base of the hob is made glass ceramic. Heating is performed by the heating elements Hi-Light.



Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 ° C, the indicator goes out.

SMEG SPA 11/12/2025