

SE364TDMB



Product Family

Built-in Ultra-low profile or Fully Flushed

Hob

Dimensions60 cmPower supplyElectricTypeCeramic

EAN code 8017709336387



Aesthetics



AestheticsCucinaColourBlackFinishingGlassMaterialGlassGlass TypeCeramicGlass edgeStraight edgeType of control settingControl knobs

Control knobs positionFrontNo. of controls4Controls colourBlackSerigraphy colourGrey

Options

Standard cut out 490x560 mm

Technical Features





Front left - Ceramic - single - 1.80 kW - Ø 18.4 cm Rear left - Ceramic - single - 1.20 kW - Ø 14.8 cm Rear right - Ceramic - single - 1.80 kW - Ø 18.4 cm Front right - Ceramic - single - 1.20 kW - Ø 14.8 cm

Automatic switch off when overheat

Yes

Residual heat indicator Yes



Electrical Connection


Nominal power (W) 6000 W
Current 18 A
Voltage (V) 220-240 V
Voltage 2 (V) 380-415 V
Type of electric cable Double universal

Type of electric cable supplied Frequency (Hz)
Power supply cable length

Terminal Box

Yes, Three and Single/Twophase 50/60 Hz 150 cm

6 poles





Not included accessories



SCRP

Induction and ceramic hobs and teppanyaki scraper



Symbols glossary



Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit.



Glass ceramic: The base of the hob is made glass ceramic. Heating is performed by the heating elements Hi-Light.



Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 ° C, the indicator goes out.



Knobs control