

# SE384EMTB





Product Family Hob

Built-in type Ultra-low profile

Dimensions80 cmPower supplyElectricTypeCeramic

**EAN code** 8017709233747



#### **Aesthetics**



**Aesthetic** Universale Colour Black Finishing Glass Material Glass Glass type Ceramic Glass edge Angled edge Digi Touch Type of control setting Control knob position Front Serigraphy colour Grey

## **Programme / Functions**



Total no. of cook zones 4

No. of ceramic cook zones 4

No. of cooking zones with booster 4

Main on/off switch Yes

Power levels 9

## **Options**













Worktop Cut-Out

490x745 mm

Limited Power Consumption Mode Yes



Keep warm automatic Yes Limited Power 2800, 4000 W function Consumption Mode in W

End cooking timer 4 Control Lock / Child Yes Minute minder 1 Safety

End of cooking alarm Yes Quick start Yes
Residual time indicator Yes

#### **Technical Features**

Front-left - Ceramic - Double - 1.00 - 2.20 kW - Ø 14.8 - Ø 21.4 cm

Rear-left - Ceramic - Single - 1.20 kW - Ø 14.8 cm

Rear-right - Ceramic - Extendable - 1.40 - 2.20 kW - Ø 17.0 - 26.5x17.0 cm

Front-right - Ceramic - Single - 1.80 kW - Ø 18.4 cm

Automatic switch off Yes Residual heat indicator Yes

when overheat

Automatic switch off Yes

when overflow

### **Electrical Connection**


Electrical connection 7400 W Additional connection Yes, Double and Three

rating (W)modalitiesPhaseCurrent22 AFrequency (Hz)50/60 HzVoltage (V)220-240 VPower supply cable150 cm

Voltage 2 (V) 380-415 V length

Type of electric cable Yes, Single phase Terminal box 6 poles installed







# Not included accessories



#### **SCRP**

Non-scratch hob scraper - suitable for induction and ceramic hobs



### Symbols glossary (TT)



Power booster: option allows the zone to work at full power when very intense cooking is necessary.



Ultra-low profile: Installation of product with flat edge - height of 1 mm.



Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.



Touch control



ECO-logic: option allows you to restrict the power limit of the appliance real energy saving.



This function allows you to keep cooked food warm without burner it



Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit.



Glass ceramic: The base of the hob is made glass ceramic. Heating is performed by the heating elements Hi-Light.



Overfill protection: The special overfill protection shuts down the stove in the presence of overflow of liquids.



Quick Start function: the chosen temperature is reached faster. The heating element works at maximum power until the right temperature is reached.



Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 ° C, the indicator goes out.



Time elapsed: shows how long the cooking zone has been in use.



Timer: All ceramic hobs have a timer which automatically ends cooking after a preset time.