

# SE395ETDL



Product Family	Hob
Built-in type	Ultra-low profile or Fully Flushed
Dimensions	90 cm
Power supply	Electric
Type	Ceramic
EAN code	8017709240912



## Aesthetics



Aesthetic	Universale
Colour	Black
Finishing	Glass
Material	Glass
Glass type	Ceramic
Glass edge	Straight edge
Type of control setting	Digi Touch
Control knob position	Front
Serigraphy colour	Grey

## Options



Worktop Cut-Out	490x850 mm	Residual time indicator	Yes
Keep warm automatic function	Yes	Showroom Demo Option	Yes
End cooking timer	5	Control Lock / Child Safety	Yes
Minute minder	1	Quick start	Yes
End of cooking alarm	Yes		

## Technical Features



Front-left - Ceramic - Double - Ø 12.4 - Ø 18.0 cm

Rear-left - Ceramic - Single - Ø 15.0 cm  
 Central - Ceramic - Triple - Ø 15.0 - Ø 21.6 - Ø 29.0 cm  
 Rear-right - Ceramic - Single - Ø 20.0 cm  
 Front-right - Ceramic - Single - Ø 15.0 cm


**Automatic switch off when overheat** Yes

**Residual heat indicator** Yes

**Automatic switch off when overflow** Yes

## Electrical Connection

<b>Plug</b>	Not present	<b>Type of electric cable supplied</b>	Yes, Single phase
<b>Electrical connection rating (W)</b>	3000 W	<b>Frequency (Hz)</b>	50/60 Hz
<b>Current</b>	13 A	<b>Power supply cable length</b>	150 cm
<b>Voltage (V)</b>	220-240 V	<b>Terminal box</b>	6 poles
<b>Additional connection modalities</b>	Yes, Single phase		



## Not included accessories












---



### SCRP

Non-scratch hob scraper - suitable for induction and ceramic hobs

## Symbols glossary (TT)

	Power booster: option allows the zone to work at full power when very intense cooking is necessary.		Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.
	This function allows you to keep cooked food warm without burner it		Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit.
	Glass ceramic: The base of the hob is made glass ceramic. Heating is performed by the heating elements Hi-Light.		Overfill protection: The special overfill protection shuts down the stove in the presence of overflow of liquids.
	Quick Start function: the chosen temperature is reached faster. The heating element works at maximum power until the right temperature is reached.		Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 ° C, the indicator goes out.
	Time elapsed: shows how long the cooking zone has been in use.		Timer: All ceramic hobs have a timer which automatically ends cooking after a preset time.
	Touch control		