

# **SE464TB**





Product Family

Built-in type Ultra-low profile

Hob

Dimensions 60 cm
Power supply Electric
Type Ceramic

**EAN code** 8017709324216



#### **Aesthetics**



AestheticUniversaleColourBlackFinishingGlassMaterialGlassGlass typeCeramicGlass edgeAngled edgeType of control settingVTC controls

SliderRedControl knob positionFrontLogoSilk screenSerigraphy colourGrey

## **Program / Functions**



No. of ceramic cook zones 4

No. of cooking zones with booster 4

Main on/off switch Yes

Power levels 9

Total no. of cook zones 4

### **Options**













Standard cut out 490x560 mm Residual time indicator Yes Keep warm automatic Yes **Limited Power** Yes function **Consumption Mode Limited Power** End cooking timer 4 2500 to 6000 - step 100 W Consumption Mode in W Minute minder 1 Showroom Demo Option Yes End of cooking alarm Yes Control Lock / Child Yes Safety

#### **Technical Features**







Front-left - Ceramic - Single - 1.80 kW - Ø 18.4 cm Rear-left - Ceramic - Single - 1.20 kW - Ø 14.8 cm Rear-right - Ceramic - Single - 1.80 kW - Ø 18.4 cm Front-right - Ceramic - Single - 1.20 kW - Ø 14.8 cm

Yes

Yes

Automatic switch off

when overheat


Automatic switch off

when overflow

Residual heat indicator Yes

#### **Electrical Connection**

**Electrical connection** 6000 W Type of electric cable Yes, Double and Three rating (W) Phase 18 A Current 50/60 Hz Frequency (Hz) Voltage (V) 220-240 V Power supply cable 150 cm length 380-415 V Voltage 2 (V) Terminal box 6 poles Type of electric cable Single phase





# **Compatible Accessories**



#### SCRP

Induction and ceramic hobs and teppanyaki scraper



### Symbols glossary



Power booster: option allows the zone to work at full power when very intense cooking is necessary.



Ultra-low profile: Installation of product with flat edge - height of 1 mm.



Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.



Compact Slider intuitive and easy to use



ECO-logic: option allows you to restrict the power limit of the appliance real energy saving.



Keep warm function: Keep warm function keeps the cooked food heated. In this mode the heating zone operates at a minimum capacity for 120 minutes and then turns off automatically.



Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit.



Glass ceramic: The base of the hob is made glass ceramic. Heating is performed by the heating elements Hi-Light.



Overfill protection: The special overfill protection shuts down the stove in the presence of overflow of liquids.



Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 ° C, the indicator goes out.



Time elapsed: shows how long the cooking zone has been in use.



Timer: All ceramic hobs have a timer which automatically ends cooking after a preset time.