

SE464TD




Product Family

Built-in type Ultra-low profile or Fully Flushed

Hob

Dimensions60 cmPower supplyElectricTypeCeramic

EAN code 8017709324209



Aesthetics





AestheticUniversaleColourBlackFinishingGlassMaterialGlassGlass typeCeramicGlass edgeStraight edgeType of control settingCompact Slider

Slider Yes
LED colours Red
Control knob position Front
Logo Silk screen
Serigraphy colour Grey

Program / Functions



No. of ceramic cook zones 4

No. of cooking zones with booster 4

Main on/off switch Yes

Power levels 9

Total no. of cook zones 4

Options













Yes

Yes

Yes





Worktop Cut-Out Keep warm automatic

function

Melting/Low

temperature cooking

function

End cooking timer 4 Pause option Yes Minute minder

End of cooking alarm

490x560 mm Residual time indicator Yes Limited Power Yes

Consumption Mode

Limited Power 2500 to 6000 - step 100 W

Consumption Mode in W

Showroom Demo Option Yes Control Lock / Child Yes

Safety

Quick start Yes

Technical Features







Front-left - Ceramic - Single - 1.80 kW - Ø 18.5 cm Rear-left - Ceramic - Single - 1.20 kW - Ø 15.0 cm Rear-right - Ceramic - Single - 1.80 kW - Ø 18.5 cm Front-right - Ceramic - Single - 1.20 kW - Ø 15.0 cm

Automatic switch off

when overheat

Automatic switch off

when overflow

Yes

Yes

Residual heat indicator Yes

Electrical Connection

Electrical connection

rating (W)

Current 18 A 220-240 V Voltage (V) Voltage 2 (V) 380-415 V

Type of electric cable

installed

6000 W

Yes, Single phase

Additional connection

modalities Frequency (Hz) Power supply cable

length

Plug

Terminal box


Yes, Double and Three

Phase 50/60 Hz

150 cm

6 poles Not present







Compatible Accessories



SCRP

Non-scratch hob scraper - suitable for induction and ceramic hobs



Symbols glossary



Power booster: option allows the zone to work at full power when very intense cooking is necessary.



Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.



Compact Slider intuitive and easy to use



The slider control panel allows you to adjust the power simply by passing your finger across the touch device.



ECO-logic: option allows you to restrict the power limit of the appliance real energy saving.



This function allows you to keep cooked food warm without burner it



Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit.



Glass ceramic: The base of the hob is made glass ceramic. Heating is performed by the heating elements Hi-Light.



Melting function, suitable for slowly melting delicate foods such as chocolate or butter.



Overfill protection: The special overfill protection shuts down the stove in the presence of overflow of liquids.



All cooking zones can be reduced to the minimum power level, so the hob can be left unattended for a short period without food overcooking or burning. Then just press again this function, the previously set power levels can be reactivated.



Quick Start function: the chosen temperature is reached faster. The heating element works at maximum power until the right temperature is reached.



Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 ° C, the indicator goes out.



Time elapsed: shows how long the cooking zone has been in use.



Timer: All ceramic hobs have a timer which automatically ends cooking after a preset time.