
SE464TD

Product Family	Hob
Built-in type	Ultra-low profile or Fully Flushed
Dimensions	60 cm
Power supply	Electric
Type	Ceramic
EAN code	8017709324209



Aesthetics

Aesthetic	Universale
Colour	Black
Finishing	Glass
Material	Glass
Glass type	Ceramic
Glass edge	Straight edge
Type of control setting	Compact Slider
Slider	Yes
LED colours	Red
Control knob position	Front
Logo	Silk screen
Serigraphy colour	Grey

Program / Functions

No. of ceramic cook zones	4
No. of cooking zones with booster	4
Main on/off switch	Yes
Power levels	9
Total no. of cook zones	4

Options

Worktop Cut-Out	490x560 mm	**Residual time indicator**	Yes
Keep warm automatic function	Yes	**Limited Power Consumption Mode**	Yes
Melting/Low temperature cooking function	Yes	**Limited Power Consumption Mode in W**	2500 to 6000 - step 100 W
		Showroom Demo Option	Yes
End cooking timer	4	**Control Lock / Child Safety**	Yes
Pause option	Yes		
Minute minder	1	**Quick start**	Yes
End of cooking alarm	Yes		


Technical Features

Front-left - Ceramic - Single - 1.80 kW - Ø 18.5 cm
Rear-left - Ceramic - Single - 1.20 kW - Ø 15.0 cm
Rear-right - Ceramic - Single - 1.80 kW - Ø 18.5 cm
Front-right - Ceramic - Single - 1.20 kW - Ø 15.0 cm

Automatic switch off when overheat	Yes	**Residual heat indicator**	Yes
Automatic switch off when overflow	Yes		

Electrical Connection

Electrical connection rating (W)	6000 W	**Additional connection modalities**	Yes, Double and Three Phase
Current	18 A	**Frequency (Hz)**	50/60 Hz
Voltage (V)	220-240 V	**Power supply cable length**	150 cm
Voltage 2 (V)	380-415 V		
Type of electric cable installed	Yes, Single phase	**Terminal box**	6 poles
		Plug	Not present


265
30
510
600
490
min.50
max.R5
560
min.20
40

Compatible Accessories



SCRP

Non-scratch hob scraper - suitable for induction and ceramic hobs

Symbols glossary



Power booster: option allows the zone to work at full power when very intense cooking is necessary.



The slider control panel allows you to adjust the power simply by passing your finger across the touch device.



This function allows you to keep cooked food warm without burner it



Glass ceramic: The base of the hob is made glass ceramic. Heating is performed by the heating elements Hi-Light.



Overfill protection: The special overfill protection shuts down the stove in the presence of overflow of liquids.



Quick Start function: the chosen temperature is reached faster. The heating element works at maximum power until the right temperature is reached.



Time elapsed: shows how long the cooking zone has been in use.



Compact Slider intuitive and easy to use



Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.



ECO-logic: option allows you to restrict the power limit of the appliance real energy saving.



Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit.



Melting function, suitable for slowly melting delicate foods such as chocolate or butter.



All cooking zones can be reduced to the minimum power level, so the hob can be left unattended for a short period without food overcooking or burning. Then just press again this function, the previously set power levels can be reactivated.



Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 ° C, the indicator goes out.



Timer: All ceramic hobs have a timer which automatically ends cooking after a preset time.