

# SE484EMTD



## Product Family

Built-in	Ultra-low profile
Dimensions	80 cm
Power supply	Electric
Type	Ceramic
EAN code	8017709324247



## Aesthetics



### Aesthetics

Colour	Universal
Finishing	Black
Material	Glass
Glass Type	Glass
Glass edge	Ceramic
Type of control setting	Straight edge
Slider	VTC controls
Control knobs position	Red
Logo	Front
Serigraphy colour	Silk screen
	Grey

## Program / Functions



No. of ceramic cook zones	4
No. of cooking zones with booster	4
Main on/off switch	Yes
Power levels	9
Total no. of cook zones	4

## Options



<b>Standard cut out</b>	490x745 mm	<b>Limited Power</b>	Yes
<b>Keep warm automatic function</b>	Yes	<b>Consumption Mode</b>	
<b>End cooking timer</b>	4	<b>Limited Power</b>	2800, 4000 W
<b>Minute minder</b>	1	<b>Consumption Mode in W</b>	
<b>End of cooking acoustic alarm</b>	Yes	<b>Show Room Demo Option</b>	Yes
<b>Residual time indicator</b>	Yes	<b>Control Lock / Child Safety</b>	Yes
		<b>Quick start</b>	Yes

## Technical Features




Front left - Ceramic - double - 2.30 kW - Ø 21.0 cm  
 Rear left - Ceramic - single - 1.20 kW - Ø 15.0 cm  
 Rear right - Ceramic - extendable - 2.20 kW - Ø 17.0 cm  
 Front right - Ceramic - single - 1.80 kW - Ø 18.5 cm

<b>Automatic switch off when overheated</b>	Yes	<b>Residual heat indicator</b>	Yes
<b>Automatic switch off when overflow</b>	Yes		

## Electrical Connection

<b>Nominal power (W)</b>	7400 W	<b>Type of electric cable</b>	Yes, Double and Three Phase
<b>Current</b>	22 A	<b>Frequency (Hz)</b>	50/60 Hz
<b>Voltage (V)</b>	220-240 V	<b>Power supply cable length</b>	150 cm
<b>Voltage 2 (V)</b>	380-415 V	<b>Terminal Box</b>	6 poles
<b>Type of electric cable</b>	Single phase	<b>Plug</b>	No



---

## Compatible Accessories

---



**SCRP**

Induction and ceramic hobs and teppanyaki scraper

## Symbols glossary

	Power booster: option allows the zone to work at full power when very intense cooking is necessary.		Ultra-low profile: Installation of product with flat edge - height of 1 mm.
	Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.		Compact Slider intuitive and easy to use
	ECO-logic: option allows you to restrict the power limit of the appliance real energy saving.		Keep warm function: Keep warm function keeps the cooked food heated. In this mode the heating zone operates at a minimum capacity for 120 minutes and then turns off automatically.
	Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit.		Glass ceramic: The base of the hob is made glass ceramic. Heating is performed by the heating elements Hi-Light.
	Overfill protection: The special overfill protection shuts down the stove in the presence of overflow of liquids.		Quick Start function: the chosen temperature is reached faster. The heating element works at maximum power until the right temperature is reached.
	Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 ° C, the indicator goes out.		Time elapsed: shows how long the cooking zone has been in use.
	Timer: All ceramic hobs have a timer which automatically ends cooking after a preset time.		