

# SE484EMTD





Product Family Hob

Built-in Ultra-low profile

Dimensions80 cmPower supplyElectricTypeCeramic

**EAN code** 8017709324247



#### **Aesthetics**



AestheticsUniversalColourBlackFinishingGlassMaterialGlassGlass TypeCeramicGlass edgeStraight edgeType of control settingVTC controls

SliderRedControl knobs positionFrontLogoSilk screenSerigraphy colourGrey

### **Program / Functions**



No. of ceramic cook zones 4

No. of cooking zones with booster 4

Main on/off switch Yes

Power levels 9

Total no. of cook zones 4

### **Options**















Standard cut out 490x745 mm Limited Power Yes
Keep warm automatic Yes Consumption Mode

Keep warm automatic Yes Consumption Mode function Limited Power 2800, 4000 W

End cooking timer 4 Consumption Mode in W

Minute minder 1 Show Room Demo Yes
Option

End of cooking acoustic Yes

alarm Option

Control Lock / Child

Residual time indicator Yes Safety
Quick start Yes

#### **Technical Features**





Front left - Ceramic - double - 2.30 kW -  $\emptyset$  21.0 cm

Rear left - Ceramic - single - 1.20 kW - Ø 15.0 cm

Rear right - Ceramic - extendable - 2.20 kW - Ø 17.0 cm

Front right - Ceramic - single - 1.80 kW - Ø 18.5 cm

Automatic switch off Yes

when overheat

Automatic switch off Yes

when overflow

Residual heat indicator Yes

Yes

#### **Electrical Connection**


Nominal power (W) 7400 W Type of electric cable Yes, Double and Three Current 22 A Phase

Voltage (V) 220–240 V Frequency (Hz) 50/60 Hz

Voltage (V) 220-240 V Frequency (Hz) 50/60 Hz

Voltage 2 (V) 380-415 V Power supply cable 150 cm length

Type of electric cable Single phase Terminal Box 6 poles





## **Compatible Accessories**



#### SCRP

Induction and ceramic hobs and teppanyaki scraper



#### Symbols glossary



Power booster: option allows the zone to work at full power when very intense cooking is necessary.



Ultra-low profile: Installation of product with flat edge - height of 1 mm.



Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.



Compact Slider intuitive and easy to use



ECO-logic: option allows you to restrict the power limit of the appliance real energy saving.



Keep warm function: Keep warm function keeps the cooked food heated. In this mode the heating zone operates at a minimum capacity for 120 minutes and then turns off automatically.



Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit.



Glass ceramic: The base of the hob is made glass ceramic. Heating is performed by the heating elements Hi-Light.



Overfill protection: The special overfill protection shuts down the stove in the presence of overflow of liquids.



Quick Start function: the chosen temperature is reached faster. The heating element works at maximum power until the right temperature is reached.



Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 ° C, the indicator goes out.



Time elapsed: shows how long the cooking zone has been in use.



Timer: All ceramic hobs have a timer which automatically ends cooking after a preset time.