

# SE484EMTD






Product Family Hob

Built-in type Ultra-low profile

Dimensions80 cmPower supplyElectricTypeCeramic

**EAN code** 8017709324247



#### **Aesthetics**



AestheticUniversaleColourBlackFinishingGlassMaterialGlassGlass typeCeramicGlass edgeStraight edgeType of control settingCompact Slider

LED coloursRedControl knob positionFrontLogoSilk screenSerigraphy colourGrey

### **Program / Functions**



No. of ceramic cook zones 4

No. of cooking zones with booster 4

Main on/off switch Yes

Power levels 9

Total no. of cook zones 4

### **Options**















Worktop Cut-Out 490x745 mm Limited Power Yes
Keep warm gutomatic Yes Consumption Mode

Keep warm automatic Yes Consumption Mode function Limited Power 2800, 4000 W

End cooking timer 4 Consumption Mode in W

Minute minder 1 Showroom Demo Option Yes

End of cooking alarm Yes Control Lock / Child Yes

Residual time indicator Yes

Quick start

Yes

Quick start

#### **Technical Features**

STOP ℃∓

Front-left - Ceramic - Double - 2.30 kW - Ø 21.0 cm Rear-left - Ceramic - Single - 1.20 kW - Ø 15.0 cm

Rear-right - Ceramic - Extendable - 2.20 kW - Ø 17.0 cm

Yes

Front-right - Ceramic - Single - 1.80 kW - Ø 18.5 cm

Automatic switch off Yes

when overheat

Automatic switch off


when overflow

Residual heat indicator Yes

#### **Electrical Connection**

Additional connection **Electrical connection** 7400 W Yes, Double and Three modalities rating (W) Phase 22 A Current 50/60 Hz Frequency (Hz) Power supply cable Voltage (V) 220-240 V 150 cm length Voltage 2 (V) 380-415 V

Type of electric cable Yes, Single phase Terminal box 6 poles installed Plug Not present





# **Compatible Accessories**



#### SCRP

Non-scratch hob scraper - suitable for induction and ceramic hobs



### Symbols glossary



Power booster: option allows the zone to work at full power when very intense cooking is necessary.



Ultra-low profile: Installation of product with flat edge - height of 1 mm.



Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.



ECO-logic: option allows you to restrict the power limit of the appliance real energy saving.



This function allows you to keep cooked food warm without burner it



Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit.



Glass ceramic: The base of the hob is made glass ceramic. Heating is performed by the heating elements Hi-Light.



Overfill protection: The special overfill protection shuts down the stove in the presence of overflow of liquids.



Quick Start function: the chosen temperature is reached faster. The heating element works at maximum power until the right temperature is reached.



Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 ° C, the indicator goes out.



Time elapsed: shows how long the cooking zone has been in use.



Timer: All ceramic hobs have a timer which automatically ends cooking after a preset time.



Compact Slider intuitive and easy to use