

SE495ETD






Product Family Hob

Built-in Ultra-low profile

Dimensions90 cmPower supplyElectricTypeCeramic

EAN code 8017709324254



Aesthetics



AestheticsUniversalColourBlackFinishingGlassMaterialGlassGlass TypeCeramicGlass edgeStraight edgeType of control settingVTC controls

SliderRedControl knobs positionFrontSerigraphy colourGrey

Programs / Functions



No. of ceramic cook zones 5
No. of cooking zones with booster 5
Power levels 9
Total no. of cook zones 5

Options













Standard cut out

490x850 mm

Limited Power Consumption Mode Yes



Keep warm automatic Yes **Limited Power** 2800, 4000 W function Consumption Mode in W **Show Room Demo** Yes End cooking timer 5 Option Minute minder 1 Control Lock / Child Yes End of cooking acoustic Safety alarm **Quick start** Yes Residual time indicator Yes

Technical Features







Front left - Ceramic - double - Ø 18.5 cm Rear left - Ceramic - single - Ø 15.0 cm Central - Ceramic - triple - - Ø 29.0 cm Rear right - Ceramic - single - Ø 20.0 cm Front right - Ceramic - single - Ø 15.0 cm

Automatic switch off

Yes

Yes

when overheat

Automatic switch off


when overflow

Residual heat indicator Yes

Electrical Connection

Nominal power (W) Yes, Double and Three 9100 W Type of electric cable Phase Current 26 A Frequency (Hz) 50/60 Hz 220-240 V Voltage (V) Power supply cable 150 cm Voltage 2 (V) 380-415 V length Type of electric cable Single phase **Terminal Box** 6 poles







Not included accessories



SCRP

Induction and ceramic hobs and teppanyaki scraper



Symbols glossary



Power booster: option allows the zone to work at full power when very intense cooking is necessary.



Ultra-low profile: Installation of product with flat edge - height of 1 mm.



Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.



ECO-logic: option allows you to restrict the power limit of the appliance real energy saving.



Keep warm function: Keep warm function keeps the cooked food heated. In this mode the heating zone operates at a minimum capacity for 120 minutes and then turns off automatically.



Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit.



Glass ceramic: The base of the hob is made glass ceramic. Heating is performed by the heating elements Hi-Light.



Overfill protection: The special overfill protection shuts down the stove in the presence of overflow of liquids.



Quick Start function: the chosen temperature is reached faster. The heating element works at maximum power until the right temperature is reached.



Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 ° C, the indicator goes out.



Time elapsed: shows how long the cooking zone has been in use.



Timer: All ceramic hobs have a timer which automatically ends cooking after a preset time.



Compact Slider intuitive and easy to use