

SE495ETD






Product Family Hob

Built-in type Ultra-low profile

Dimensions90 cmPower supplyElectricTypeCeramic

EAN code 8017709324254



Aesthetics



AestheticUniversaleColourBlackFinishingGlassMaterialGlassGlass typeCeramicGlass edgeStraight edgeType of control settingCompact Slider

LED coloursRedControl knob positionFrontLogoSilk screenSerigraphy colourGrey

Program / Functions



No. of ceramic cook zones 5
No. of cooking zones with booster 5
Power levels 9
Total no. of cook zones 5

Options













Worktop Cut-Out

4

490x850 mm



Keep warm automatic Yes **Limited Power** Yes function **Consumption Mode** End cooking timer 5 Limited Power 2800, 4000 W Minute minder 1 Consumption Mode in W End of cooking alarm Yes Showroom Demo Option Yes Residual time indicator Yes Control Lock / Child Yes Safety Quick start Yes

Technical Features







Front-left - Ceramic - Double - Ø 18.5 cm Rear-left - Ceramic - Single - Ø 15.0 cm Central - Ceramic - Triple - - Ø 29.0 cm Rear-right - Ceramic - Single - Ø 20.0 cm Front-right - Ceramic - Single - Ø 15.0 cm

Yes

Yes

Automatic switch off

when overheat


Automatic switch off

when overflow

Residual heat indicator Yes

Electrical Connection

Additional connection Electrical connection 9100 W Yes, Double and Three rating (W) modalities Phase Current 26 A Frequency (Hz) 50/60 Hz 220-240 V Power supply cable Voltage (V) 150 cm length Voltage 2 (V) 380-415 V Terminal box 6 poles Type of electric cable Yes, Single phase installed Plug Not present





Compatible Accessories



SCRP

Non-scratch hob scraper - suitable for induction and ceramic hobs



Symbols glossary



Power booster: option allows the zone to work at full power when very intense cooking is necessary.



Ultra-low profile: Installation of product with flat edge - height of 1 mm.



Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.



Compact Slider intuitive and easy to use



ECO-logic: option allows you to restrict the power limit of the appliance real energy saving.



This function allows you to keep cooked food warm without burner it



Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit.



Glass ceramic: The base of the hob is made glass ceramic. Heating is performed by the heating elements Hi-Light.



Overfill protection: The special overfill protection shuts down the stove in the presence of overflow of liquids.



Quick Start function: the chosen temperature is reached faster. The heating element works at maximum power until the right temperature is reached.



Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 ° C, the indicator goes out.



Time elapsed: shows how long the cooking zone has been in use.



Timer: All ceramic hobs have a timer which automatically ends cooking after a preset time.