

# SEI5632D



<b>Product Family</b>	Hob
<b>Built-in type</b>	Ultra-low profile or Fully Flushed
<b>Dimensions</b>	60 cm
<b>Power supply</b>	Electric
<b>Type</b>	Induction
<b>EAN code</b>	8017709262983



## Aesthetics



<b>Aesthetic</b>	Universale
<b>Colour</b>	Black
<b>Finishing</b>	Glass
<b>Material</b>	Glass
<b>Glass type</b>	Ceramic
<b>Glass edge</b>	Straight edge
<b>Type of control setting</b>	Digi Touch
<b>LED colours</b>	Red
<b>Control knob position</b>	Front
<b>Logo</b>	Silk screen
<b>Serigraphy colour</b>	Grey

## Program / Functions



<b>No. of induction cook zones</b>	3
<b>No. of cooking zones with booster</b>	3
<b>Main on/off switch</b>	Yes
<b>Power levels</b>	14
<b>Total no. of cook zones</b>	3

## Options



<b>Worktop Cut-Out</b>	490x560 mm	<b>Residual time indicator</b>	Yes
<b>End cooking timer</b>	3	<b>Limited Power</b>	Yes
<b>Pause option</b>	Yes	<b>Consumption Mode</b>	
<b>Minute minder</b>	3	<b>Limited Power</b>	1500, 2000, 2500, 3000,
<b>End of cooking alarm</b>	Yes	<b>Consumption Mode in W</b>	3500, 4000, 4500, 5000,
			6000, 7200 W
		<b>Showroom Demo Option</b>	Yes
		<b>Control Lock / Child Safety</b>	Yes

## Technical Features



Front-left - Induction - Single - 2.30 kW - Booster 3.70 kW - Ø 21 cm


Rear-left - Induction - Single - 1.40 kW - Booster 2.50 kW - Ø 14.5 cm

Front-right - Induction - Giant - 1.80 - 2.80 kW - Booster 3.50 - 3.60 kW - Ø 18/28 cm

<b>Automatic setting according to pan dimension</b>	Yes	<b>Automatic switch off when overheat</b>	Yes
<b>pan detection</b>	Yes	<b>Automatic switch off when overflow</b>	Yes
<b>Minimum pan diameter indication</b>	Yes	<b>Residual heat indicator</b>	Yes

## Electrical Connection

<b>Electrical connection rating (W)</b>	7200 W	<b>Frequency (Hz)</b>	50/60 Hz
<b>Current</b>	32 A	<b>Power supply cable length</b>	150 cm
<b>Voltage (V)</b>	220-240 V	<b>Terminal box</b>	5 poles
<b>Type of electric cable installed</b>	Yes, Single phase	<b>Plug</b>	Not present



---

## Compatible Accessories













---



### SCRP

Non-scratch hob scraper - suitable for induction and ceramic hobs

## Symbols glossary

	Power booster: option allows the zone to work at full power when very intense cooking is necessary.		Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.
	ECO-logic: option allows you to restrict the power limit of the appliance real energy saving.		Giant zone: The giant zone offers extra space and flexibility.
	Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit.		Induction: The work of these hobs is based on the principle of electromagnetic induction. The heat is generated directly in the bottom of the pan during its contact with the hob.
	Overfill protection: The special overfill protection shuts down the stove in the presence of overflow of liquids.		All cooking zones can be reduced to the minimum power level, so the hob can be left unattended for a short period without food overcooking or burning. Then just press again this function, the previously set power levels can be reactivated.
	Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 ° C, the indicator goes out.		Time elapsed: shows how long the cooking zone has been in use.
	Timer: All ceramic hobs have a timer which automatically ends cooking after a preset time.		Touch control