

# **SEI5632D**



Product Family Hob

Built-in type Ultra-low profile or Fully Flushed

Dimensions60 cmPower supplyElectricTypeInduction

EAN code 8017709262983



#### **Aesthetics**



**Aesthetic** Universale Colour Black **Finishing** Glass Material Glass Glass type Ceramic Straight edge Glass edge Type of control setting Digi Touch LED colours Red

Control knob position Front
Serigraphy colour Grey

## **Programme / Functions**



Total no. of cook zones 3

No. of induction cook zones 3

No. of cooking zones with booster 3

Main on/off switch Yes

Power levels 14

## **Options**













Worktop Cut-Out

490x560 mm

Residual time indicator Yes



End cooking timer 3 **Limited Power** Yes

**Consumption Mode** Pause option Yes

**Limited Power** 1500, 2000, 2500, 3000, Minute minder 3 Consumption Mode in W 3500, 4000, 4500, 5000, End of cooking alarm Yes

6000, 7200 W

Showroom Demo Option Yes Control Lock / Child

Safety

when overflow

Yes

### **Technical Features**









Front-left - Induction - Single - 2.30 kW - Booster 3.70 kW - Ø 21 cm

Rear-left - Induction - Single - 1.40 kW - Booster 2.50 kW - Ø 14.5 cm

Yes

Front-right - Induction - Giant - 1.80 - 2.80 kW - Booster 3.50 - 3.60 kW - Ø 18/28 cm

**Automatic setting** Yes Automatic switch off Yes according to pan when overheat

dimension Automatic switch off Yes

pan detection Minimum pan diameter Yes Residual heat indicator Yes

indication

#### **Electrical Connection**


**Electrical connection** 7200 W Frequency (Hz) 50/60 Hz rating (W)

Power supply cable 150 cm 32 A Current length

Voltage (V) 220-240 V Terminal box 5 poles

Type of electric cable Yes, Single phase installed







# Not included accessories



#### **SCRP**

Non-scratch hob scraper - suitable for induction and ceramic hobs



#### TPK

Stainless steel grill plate to cook Teppanyaki dishes



### Symbols glossary (TT)



Power booster: option allows the zone to work at full power when very intense cooking is necessary.



Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.



ECO-logic: option allows you to restrict the power limit of the appliance real energy saving.



Giant zone: The giant zone offers extra space and flexibility.



Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit.



Induction: The work of these hobs is based on the principle of electromagnetic induction. The heat is generated directly in the bottom of the pan during its contact with the hob.



Overfill protection: The special overfill protection shuts down the stove in the presence of overflow of liquids.



All cooking zones can be reduced to the minimum power level, so the hob can be left unattended for a short period without food overcooking or burning. Then just press again this function, the previously set power levels can be reactivated.



Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 ° C, the indicator goes out.



Time elapsed: shows how long the cooking zone has been in use.



Timer: All ceramic hobs have a timer which automatically ends cooking after a preset time.



Touch control