

SEU122B





Product Family Hob

Built-in type Ultra-low profile

Dimensions 12"
Power supply Electric
Type Ceramic

EAN code 8017709240929



Aesthetics



Aesthetic Universale Colour Black **Finishing** Glass Material Glass Glass type Ceramic Angled edge Glass edge Digi Touch Type of control setting Control knob position Front Serigraphy colour Grey

Program / Functions



No. of ceramic cook zones2No. of cooking zones with booster2Power levels9Total no. of cook zones2

Technical Features







Front-centre - Ceramic - Single - 1.00 kW - Ø 14.8 cm Rear-centre - Ceramic - Single - 1.40 kW - Ø 18.4 cm

Residual heat indicator Yes

SMEG SPA 2025-04-24



Automatic switch off when overheat

Yes

Automatic switch off when overflow

Yes

Electrical Connection

Electrical connection

2400 W

rating (W)

22 A Current Voltage (V) 120 V

Type of electric cable

Single phase

Type of electric cable

supplied

Frequency (Hz) Power supply cable

length


Terminal box

Yes, Single phase

60 Hz

47 1/4 "

3 poles



SMEG SPA 2025-04-24



Compatible Accessories



SCRP

Non-scratch hob scraper - suitable for induction and ceramic hobs

SMEG SPA 2025-04-24



Symbols glossary



Power booster: option allows the zone to work at full power when very intense cooking is necessary.



Ultra-low profile: Installation of product with flat edge - height of 1 mm.



Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit.



Glass ceramic: The base of the hob is made glass ceramic. Heating is performed by the heating elements Hi-Light.



Overfill protection: The special overfill protection shuts down the stove in the presence of overflow of liquids.



Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 ° C, the indicator goes out.



Touch control

SMEG SPA 2025-04-24