

# SEU122B





Product Family Hob

Built-in type Ultra-low profile

Dimensions 12"
Power supply Electric
Type Ceramic

EAN code 8017709240929



#### **Aesthetics**



**Aesthetic** Universale Colour Black **Finishing** Glass Material Glass Glass type Ceramic Angled edge Glass edge Digi Touch Type of control setting Control knob position Front Serigraphy colour Grey

### **Program / Functions**



No. of ceramic cook zones2No. of cooking zones with booster2Power levels9Total no. of cook zones2

#### **Technical Features**







Front-centre - Ceramic - Single - 1.00 kW - Ø 14.8 cm Rear-centre - Ceramic - Single - 1.40 kW - Ø 18.4 cm

Residual heat indicator Yes



Automatic switch off when overheat

Yes

Automatic switch off when overflow

Yes

#### **Electrical Connection**

Electrical connection 2

2400 W

rating (W)

Current 22 A Voltage (V) 120 V

Type of electric cable

Single phase

Type of electric cable supplied

Frequency (Hz)
Power supply cable

length


Terminal box

Yes, Single phase

60 Hz

47 1/4 "

3 poles





## **Compatible Accessories**



#### SCRP

Non-scratch hob scraper - suitable for induction and ceramic hobs



### Symbols glossary



Power booster: option allows the zone to work at full power when very intense cooking is necessary.



Ultra-low profile: Installation of product with flat edge - height of 1 mm.



Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit.



Glass ceramic: The base of the hob is made glass ceramic. Heating is performed by the heating elements Hi-Light.



Overfill protection: The special overfill protection shuts down the stove in the presence of overflow of liquids.



Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 ° C, the indicator goes out.



Touch control



## Benefit (TT)

$\overline{}$									
( :	e	r	a	m	ic	h	O	h	9

Shorter cooking times and constant temperature control thanks to the ceramic cooktop, ensuring high performance

Immediate access to functions via touch display, for simple and intuitive control

Nine power levels and Boost function for optimal cooking performance