

SEU122B





Product family Cooktop

Installation Ultra-low profile

Dimensions 12"
Power supply Electric
Type Ceramic

EAN code 8017709240929



Aesthetic



AestheticsUniversalColorBlackFinishingGlassMaterialGlassGlassCeramicGlass edgeBeveledControl setting typeTouch controls

Controls positionFrontSilkscreen colorGray

Program / Functions



No. of ceramic cook zones2Cooking zones with Booster2Power levels9Cooking zones2

Technical Features







Front-center - Ceramic - single - 1.00 kW - Ø 14.8 cm Rear-center - Ceramic - single - 1.40 kW - Ø 18.4 cm

Residual heat indicator Yes



Automatic switch-off in Yes case of over-heating

Automatic switch-off in Yes case of overflow


Electrical Connection

Nominal power 2400 W
Current 22 A
Voltage 120 V

Electric cable type Single phase

Type of electric cable Yes, Single phase supplied

Frequency 60 Hz
Power cord length 47 1/4 "
Terminal box 3 poles





Compatible Accessories



SCRP

Induction and ceramic hobs and teppanyaki scraper



Symbols glossary



Power booster: option allows the zone to work at full power when very intense cooking is necessary.



Ultra-low profile: Installation of product with flat edge - height of 1 mm.



Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit.



Glass ceramic: The base of the hob is made glass ceramic. Heating is performed by the heating elements Hi-Light.



Overfill protection: The special overfill protection shuts down the stove in the presence of overflow of liquids.



Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 ° C, the indicator goes out.



Touch control



Benefit (TT)

Ceramic hobs

Shorter cooking times and constant temperature control thanks to the ceramic cooktop, ensuring high performance

Glass

Brightness and elegance in the kitchen: the acid-etched glass gives the surface a refined, modern look that enhances the space.

Ceramic

Stability and design even up to 700°C: the cooktop material resists high temperatures without deforming, maintaining aesthetics and functionality even with intensive use.

Immediate access to functions via touch display, for simple and intuitive control

Control knob position frontal

Instant and intuitive control thanks to front controls, easily accessible for practical use.

Nine power levels and Boost function for optimal cooking performance