SEU244ETB

Product Family	Hob
Built-in type	Ultra-low profile
Dimensions	24"
Power supply	Electric
Type	Ceramic
EAN code	8017709240998



Aesthetics

Aesthetic	Universale
Colour	Black
Finishing	Glass
Material	Glass
Glass type	Ceramic
Glass edge	Angled edge
Type of control setting	Digi Touch
Control knob position	Front
Logo	Silk screen
Serigraphy colour	Grey

Program / Functions

No. of cooking zones with booster	4
Power levels	9
Total no. of cook zones	4

Options

End cooking timer	1	**Limited Power Consumption Mode in W**	4000 W
End of cooking alarm	Yes	**Showroom Demo Option**	Yes

Limited Power Consumption Mode	Yes	**Control Lock / Child Safety**	Yes

Technical Features




Front-left - Ceramic - Single - 1.20 kW - Ø 14.8 cm
Rear-left - Ceramic - Single - 1.80 kW - Ø 18.4 cm
Rear-right - Ceramic - Double - 0.75 - 1.80 kW - Ø 12.4 - Ø 18.4 cm
Front-right - Ceramic - Single - 1.20 kW - Ø 14.8 cm

Automatic switch off when overheat	Yes	**Residual heat indicator**	Yes
Automatic switch off when overflow	Yes		

Electrical Connection

Electrical connection rating (W)	6000 W	**Frequency (Hz)**	60 Hz
Current	18 A	**Power supply cable length**	47 1/4 "
Voltage (V)	240 V	**Terminal box**	6 poles
Voltage 2 (V)	208 V	**Plug**	No
Type of electric cable	Single phase		



Compatible Accessories



SCRP

Non-scratch hob scraper - suitable for induction and ceramic hobs

Symbols glossary



Power booster: option allows the zone to work at full power when very intense cooking is necessary.



Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.



ECO-logic: option allows you to restrict the power limit of the appliance real energy saving.



Glass ceramic: The base of the hob is made glass ceramic. Heating is performed by the heating elements Hi-Light.



Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 ° C, the indicator goes out.



Ultra-low profile: Installation of product with flat edge - height of 1 mm.



Touch control



Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit.



Overfill protection: The special overfill protection shuts down the stove in the presence of overflow of liquids.



Timer: All ceramic hobs have a timer which automatically ends cooking after a preset time.