

SEU244ETB





Product Family Hob

Built-in type Ultra-low profile

Dimensions24"Power supplyElectricTypeCeramic

EAN code 8017709240998



Aesthetics



Aesthetic Universale Colour Black Glass **Finishing** Material Glass Glass type Ceramic Glass edge Angled edge Type of control setting Digi Touch Control knob position Front Silk screen Logo Serigraphy colour Grey

Program / Functions



No. of cooking zones with booster 4
Power levels 9
Total no. of cook zones 4

Options







End cooking timer 1
End of cooking alarm Yes

Limited Power 4000 W Consumption Mode in W Showroom Demo Option Yes

SMEG SPA 2025-12-14



Limited Power Consumption Mode Yes

Control Lock / Child Safety

Yes

Technical Features







Front-left - Ceramic - Single - 1.20 kW - Ø 14.8 cm Rear-left - Ceramic - Single - 1.80 kW - Ø 18.4 cm

Rear-right - Ceramic - Double - 0.75 - 1.80 kW - Ø 12.4 - Ø 18.4 cm

Front-right - Ceramic - Single - 1.20 kW - Ø 14.8 cm

Automatic switch off

Residual heat indicator Yes

when overheat


Automatic switch off

Yes

when overflow

Electrical Connection

Electrical connection 6000 W Type of electric cable Single phase rating (W) Frequency (Hz) 60 Hz Current 18 A Power supply cable 47 1/4 " Voltage (V) 240 V length Voltage 2 (V) 208 V Terminal box 6 poles



SMEG SPA 2025-12-14



Compatible Accessories



SCRP

Non-scratch hob scraper - suitable for induction and ceramic hobs

SMEG SPA 2025-12-14



Symbols glossary



Power booster: option allows the zone to work at full power when very intense cooking is necessary.



Ultra-low profile: Installation of product with flat edge - height of 1 mm.



Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.



Touch control



ECO-logic: option allows you to restrict the power limit of the appliance real energy saving.



Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit.



Glass ceramic: The base of the hob is made glass ceramic. Heating is performed by the heating elements Hi-Light.



Overfill protection: The special overfill protection shuts down the stove in the presence of overflow of liquids.



Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 ° C, the indicator goes out.



Timer: All ceramic hobs have a timer which automatically ends cooking after a preset time.

SMEG SPA 2025-12-14