

SF4102MN



Category Product Family Power supply Heat source Cooking method EAN code 45cm Compact Ovens Oven Electric Electric Microwave with grill 8017709254070



Aesthetics

Aesthetics Colour Design	Linea Black Flat	Serigraphy type Door Handle	Symbols Full glass Linea			
Material	Glass	Handle Colour	Chromed			
Glass Type	Clear1	Logo	Silk screen			
Serigraphy colour	Grey	Control knobs	Linea			
Controls						
Display technology	LCD	No. of controls	2			
Control setting	Control knobs					
Programs / Functions						
Programs / Fun	ctions					
Programs / Fun No. of cooking function Traditional cooking fu	ıs	5				
No. of cooking function	ıs	5				
No. of cooking function Traditional cooking fu	ıs	5				
No. of cooking function Traditional cooking function Large grill	ns nctions		Chef dish (Baker)			



Other functions



Defrost by time



Defrost by weight

Options



Time-setting options

Minute minder Timer Controls Lock / Child Safety Delay start and automatic end cooking Yes 1 Yes

Other options		
Showroom demo option		
Rapid pre-heating		

Eco light, Quick start Yes Yes

Technical Features

<u>;3</u> 🔊 🗾 🔛			
Minimum Temperature	50 °C	Door	Temperate door
Maximum temperature	250 °C	Total no. of door glasses	3
Shelf positions	3	Microwave stops when	Yes
No. of lights	1	door is opened	
Light type	Halogen	Soft Close hinges	Yes
Light power	40 W	Cooling system	Tangential
Light when door is	Yes	Cooling duct	Single
opened		Usable cavity space	212x462x407 mm
Grill element - power	1500 W	dimensions (HxWxD)	
Heating suspended	Yes	Temperature control	Electronic
when door is opened		Cavity material	Easy clean enamel
Door opening type	Standard opening	Microwave screen protection	Yes

Performance / Energy Label

Net volume of the cavity Number of cavities	40 litres 1	Microwave effective power	1000 W
Accessories Inclu	ded		
Chrome shelf	1	Special baker plate	1
Electrical Connection			
Voltage Current	220-240 V 15 A	Frequency (Hz)	50 Hz







Compatible Accessories

BN620-1



Enamelled tray, 20mm deep

GTP



Partially extractable telescopic guides (1 level) Extraction: 300 mm Material: Stainless steel AISI 430 polished

PR3845X



Antifingerprint stainless steel. Cover for furniture in column installation of more ovens

BN640

Enamelled tray, 40mm deep

GTT



Totally extractable telescopic guides (1 level) Extraction: 433 mm Material: Stainless steel AISI 430 polished

-ss-smeg

Symbols glossary





	г.
L 40 H	

The capacity indicates the amount of usable space in the oven cavity in litres.



The capacity indicates the amount of usable space in the oven cavity in litres.