

## SF6300TVX

Category Product Family Power supply Heat source Cooking method Cleaning system EAN code


60cm Oven Electric ELECTRICITY Thermo-ventilated Vapor Clean 8017709293680



### Aesthetics

Aesthetic	Classica	Serigraphy type	Symbols
Colour	Stainless steel	Door	With 2 horizontal strips
Finishing	Fingerproof	Handle	Classic
Design	Flat	Handle Colour	Steel effect
Material	Stainless steel	Logo	Embossed
Glass Type	Eclipse	Control knobs	Classic
Casternahuraalaun	Black		
Serigraphy colour	Didek		
Serigraphy colour Controls	Didek		
Controls	DigiScreen	Control setting	Knobs & touch buttons

## **Programs / Functions**





#### Other functions

\*

Defrost by time

#### **Cleaning functions**



Vapor Clean

## Options

	-14L
_	=
	<b>_</b> ())
	-0

**Time-setting options** 

Minute minder

Delay start and automatic end cooking Yes

Timer 1 **Rapid pre-heating** 

## Yes

## **Technical Features**

<u>,5</u> 🖉 💭 📑	
Minimum Temperature	50 °C
Maximum temperature	250 °C
No. of shelves	5
N. of fans	1
No. of lights	1
Light type	Halogen
User-replaceable light	Yes
Light Power	40 W
Light when door is opened	Yes
Lower heating element power	1200 W
Upper heating element - Power	1000 W
Grill element - power	1700 W
Large grill - Power	2700 W
Circular heating element - Power	2000 W

Heating suspended when door is opened	Yes
Door opening type	Standard opening
Door	Temperate door
Removable door	Yes
Full glass inner door	Yes
Removable inner door	Yes
Total no. of door glasses	3
Cooling system	Tangential
Cooling duct	Single
Speed Reduction Cooling System	Yes
Usable cavity space dimensions (HxWxD)	360x460x425 mm
Temperature control	Electronic
Cavity material	Ever clean Enamel

## Performance / Energy Label



Energy efficiency class A Net volume of the cavity 701 Energy consumption per 1.15 KWh cycle in conventional mode Energy consumption in 4.14 MJ conventional mode

Energy consumption in forced air convection	2.88 MJ
Energy consumption per cycle in fan-forced convection	0.80 KWh
Number of cavities	1
Energy efficiency index	95.2 %



## **Accessories Included**

Rack with back stop	1	Insert gird	1
Enamelled deep tray (40mm)	1		

## **Electrical Connection**

Voltage Current Nominal power	220-240 V 13 A 3000 W	Frequency (Hz) Power supply cable length	50/60 Hz 150 cm
35.40 35.40 91.00 91.00 91.00 91.00 91.00 91.00 91.00 91.00 91.00 91.00 91.00 91.00 91.00 91.00 91.00 91.00 90.560	490.500 20.568		



## Not included accessories

#### GTP



Partially extractable telescopic guides (1 level), suitable for traditional ovens. Made in stainless steel, they guarantee stability and facilitate the smooth extraction of the trays.



#### PRTX

Refractary pizza stone with handles. D=35cm Not suitable for microwave ovens. Suitable for gas ovens, to be put on the griddle.



#### PALPZ

Pizza shovel with folding handle. Dimensions L31.5 x H32.5 cm. Easy and convenient to use and store. Perfect for serving pizza, bread and savory pastries in a safe and professional way.



#### **BN640**

Enamelled tray suitable for 45cm and 60cm ovens. Depth 540 mm. Perfect for cooking and roasting meat and fish in sauces. Also ideal for experimenting with lighter and crunchy side dishes



#### PR3845X

Antifingerprint stainless steel. Cover for furniture in column installation of more ovens



### BN620-1


Enamelled tray suitable for 45cm and 60cm ovens. Depth 20 mm. Perfect for a wide range of savoury and sweet baking.

#### GTT

Totally extractable telescopic guides (1 level), suitable for traditional ovens. Made in stainless steel, they guarantee stability and facilitate the smooth extraction of the trays.

## •se•smeg

## Symbols glossary (TT)



```
SMEG SPA
```

# •se•smeg

L			10	
L		. 1	10	>
Ŀ	3	21	÷.,	
r	ي	5		

Side lights: Two opposing side lights increase visibility inside the oven.



Rapid preheating: cooking is preceded by the preheating phase which allows the cooking compartment to reach the set temperature. This option reduces the time by up to 50%.

	5	-
+		-

The oven cavity has 5 different cooking levels.



Electronic control: Allows you to maintain temperature inside the oven with the precision 2-3 ° C. This enables to cook meals that are very sensitive to temperature changes, such as cakes, souffles, puddings.



The capacity indicates the amount of usable space in the oven cavity in litres.



4.3 inch display with LED technology, usability with knobs + 3 touch keys

Vapor Clean: a simple cleaning function using

steam to loosen deposits in the oven cavity.