

SF6905N1





Category 60cm
Product Family Oven
Power supply Electric
Heat source Electric

Cooking methodThermo-ventilatedCleaning systemVapor CleanEAN code8017709241537



Aesthetics

Victoria With panel **Aesthetics** Door Colour Black Victoria Handle Design Rounded **Handle Colour** Steel effect Material Painted material Logo **Applied** Victoria Clear1 Control knobs Glass Type Serigraphy colour White Controls colour Steel effect Serigraphy type Symbols

Controls

Control setting Control knobs No. of controls 3

Programs / Functions

No. of cooking functions

8



Traditional cooking functions Static Fan assisted Ciculaire Turbo (circulaire + bottom + upper + **ECO** Large grill fan) Fan grill (large) Base **Cleaning functions** Vapor Clean **Options** Minute minder Time-setting options Automatic end cooking Yes **Technical Features** Minimum Temperature 50 °C Door opening type Standard opening 250 °C Maximum temperature Door Temperate door Shelf positions 5 Removable door Yes No. of lights 2 Full glass inner door Yes Removable inner door Yes Light type Halogen Light power 40 W Total no. of door glasses 3 Light when door is Yes Cooling system **Tangential** opened Double Cooling duct 1200 W Lower heating element Speed Reduction Yes power Cooling System Upper heating element - 1000 W Usable cavity space 360x460x425 mm Power dimensions (HxWxD) Grill element - power 1700 W Temperature control Electro-mechanical 2700 W Large grill - Power Cavity material Easy clean enamel Circular heating element 2000 W - Power

Performance / Energy Label

Yes





Heating suspended

when door is opened

Energy efficiency class



Net volume of the cavity 70 litres Energy consumption per 1.15 KWh cycle in conventional

mode

Energy consumption in 4.14 MJ

conventional mode

Energy consumption in 2.88 MJ

forced air convection

Energy consumption per 0.80 KWh

cycle in fan-forced

convection

Number of cavities 1

Energy efficiency index 95,2 %

Accessories Included

Chrome shelf 1

Extra deep enamelled

tray (40mm)

Grill mesh 1


Electrical Connection

Voltage 220-240 V Current 13 A Nominal power (W) 3000 W

1

Frequency (Hz) 50/60 Hz Power supply cable 150 cm

length





Not included accessories

GTP

Partially extractable telescopic guides (1 level) Extraction: 300 mm Material: Stainless steel AISI 430 polished



PR3845X

Antifingerprint stainless steel. Cover for furniture in column installation of more ovens



PRTX

Refractary pizza stone with handles. D=35cm Not suitable for microwave ovens. Suitable for gas ovens, to be put on the griddle.



BN620-1

Enamelled tray, 20mm deep



PALPZ

Pizza shovel with fold away handle width: 315mm length: 325mm



GTT

Totally extractable telescopic guides (1 level) Extraction: 433 mm Material: Stainless steel AISI 430 polished



BN640

Enamelled tray, 40mm deep



Alternative products



SF6905X1 Stainless steel



SF6905NO1 Black



SF6905P1 Cream



SF6905B1 White



Symbols glossary

Г	4	١	٠		۰	
١.	÷	_	ä	-	ä	-

Air cooling system: to ensure a safe surface temperatures.



Triple glazed doors: Number of glazed doors.



A: Product drying performance, measured from A+++ to D / G depending on the product family



Electric



Enamel interior: The enamel interior of all Smeg ovens have a special antacid lining which helps keep the interior clean by reducing the amount of cooking grease adhering to it.



Fan with upper and lower elements: The elements combined with the fan aim to provide more uniform heat, a similar method to conventional cooking, so pre-heat is required. Most suitable for items requiring slow cooking methods.



Upper and lower element only: a traditional cooking method best suited for single items located in the centre of the oven. the top pf the oven will always be hottest. Ideal for roast, fruit cakes, bread etc.



Lower heating element only: This function is ideal for foods that require extra base temperature without browning, e.g. pastry dishes, pizza. Also suitable for slow cooking of stews and casseroles.



Circulaire: The combination of the fan and circular element around it gives a hot air cooking method. This provides many benefits including no preheat if cook time is more than 20 minutes, no flavour transfer when cooking different foods at the same time, less energy, and shorter cook times. Good for all types of food.



ECO: The combination of the grill, fan and lower element is particularly suitable for cooking small quantities of food.



Grill element: Using of grill gives excellent results when cooking meat of medium and small portions, especially when combined with a rotisserie (where possible). Also ideal for cooking sausages and bacon.



Fan with grill element: The fan reduces the fierce heat from the grill, providing an excellent method of grilling various foods, chops, steaks, sausages etc. giving even browning and heat distribution, without drying out the food. The top two levels recommended for use, and the lower part of the oven can be used to keep items warm at the same time, an excellent facility when cooking a grilled breakfast. Half grill (centre portion only) is ideal for small quantities of food.



Circulaire with upper and lower elements: The use of the fan with both elements allows food to be cooked quickly and effectively, ideal for large joints that require thorough cooking. It offers a similar result to rotisserie, moving the heat around the food, instead of moving the food itself, enabling any size or shape to be cooked.



All glass inner door: All glass inner door, a single flat surface which is simple to keep clean.



The inner door glass: can be removed with a few quick movements for cleaning.



Side lights: Two opposing side lights increase visibility inside the oven.



The oven cavity has 5 different cooking levels.



Tilting grill: the tilting grill can be easily unhooked to move the heating element and clean the roof of the appliance in one simple step.



Vapor Clean: a simple cleaning function using steam to loosen deposits in the oven cavity.



The capacity indicates the amount of usable space in the oven cavity in litres.