

SFP6101TB3

-Œ= P`

Category Product Family Power supply Heat source Cooking method Cleaning system EAN code 60cm Single Ovens Oven Electric Electric Thermo-ventilated Pyrolytic 8017709329334



Aesthetics

| Aesthetics Colour Design Material | Linea Black Flat Glass | Door Handle Handle Colour | Full glass Linea Black Silk screen |
|--|---------------------------------|--|---|
| Glass Type Serigraphy colour Serigraphy type | Clear1 Grey Symbols | Logo Control knobs Controls colour | Linea Black |

Controls

COMPACT

| Display name | CompactScreen | Control setting | Control knobs |
|--------------------|---------------|-----------------|---------------|
| Display technology | LCD | No. of controls | 2 |

Programs / Functions

No. of cooking functions

10



| Traditional cooking functions | | | | |
|--------------------------------------|--------------|---------------------|--|--|
| Static | Ean assisted | Ciculaire | | |
| 8 | | | | |
| Turbo (circulaire + bottom + upper + | ECO ECO | Large grill | | |
| fan) | | | | |
| | Base | Circulaire + bottom | | |
| Pizza | | | | |
| | | | | |
| | | | | |
| | | | | |
| Other functions | | | | |
| Defrost by time | Proving | Sabbath | | |
| Cleaning functions | | | | |
| Pyrolytic | | | | |

Options

| 0 - | | | |
|---------------------------------|---------------------------|----------------------|-----------|
| Time-setting options | Delay start and automatic | Other options | Keep warm |
| | end cooking | Showroom demo option | Yes |
| Minute minder | Yes | Rapid pre-heating | Yes |
| Timer | 1 | | |
| Controls Lock / Child Safety | Yes | | |

Technical Features

| 5 🔗 🛒 🗌 🕼 | 0 | | |
|------------------------------|---------|---------------------------|------------|
| Minimum Temperature | 30 °C | Door | Cool |
| Maximum temperature | 280 °C | Removable door | Yes |
| Shelf positions | 5 | Full glass inner door | Yes |
| No. of lights | 1 | Removable inner door | Yes |
| Light type | Halogen | Total no. of door glasses | 4 |
| User-replaceable light | Yes | Soft Close hinges | Yes |
| Light power | 40 W | Cooling system | Tangential |
| Light when door is opened | Yes | Cooling duct | Double |



| Lower heating element power | 1200 W | Speed Reduction Cooling System | Yes |
|--------------------------------|------------------|-----------------------------------|-------------------|
| Grill element - power | 1800 W | Door Lock During | Yes |
| Circular heating element | 2000 W | Pyrolisis | |
| - Power | | Usable cavity space | 360x460x425 mm |
| Heating suspended | Yes | dimensions (HxWxD) | |
| when door is opened | | Temperature control | Electronic |
| Door opening type | Standard opening | Cavity material | Easy clean enamel |
| | | | |

Performance / Energy Label

| A (;) | | | |
|---|-----------|---|-----------|
| Energy efficiency class | A+ | Energy consumption in | 2,45 MJ |
| Net volume of the cavity | 70 litres | forced air convection | |
| Energy consumption per cycle in conventional mode | 1,09 kWh | Energy consumption per cycle in fan-forced convection | 0,68 kWh |
| Energy consumption in conventional mode | 3,92 MJ | Number of cavities Energy efficiency index | 1 81 % |


Accessories Included

| Chrome shelf | 1 | Grill mesh | 1 |
|-------------------------------------|---|------------|---|
| Extra deep enamelled tray (40mm) | 1 | | |

Electrical Connection

| Voltage | 220-240 V | Frequency (Hz) | 50/60 Hz |
|-------------------|-----------|--------------------|----------|
| Current | 13 A | Power supply cable | 150 cm |
| Nominal power (W) | 3000 W | length | |







Compatible Accessories

BN620-1



Enamelled tray, 20mm deep

GTP



Partially extractable telescopic guides (1 level) Extraction: 300 mm Material: Stainless steel AISI 430 polished

PALPZ



Pizza shovel with fold away handle width: 315mm length : 325mm



BN640

Enamelled tray, 40mm deep

GTT




Totally extractable telescopic guides (1 level) Extraction: 433 mm Material: Stainless steel AISI 430 polished

PR3845X

Antifingerprint stainless steel. Cover for furniture in column installation of more ovens

•ss•smeg

Symbols glossary



grilled breakfast. Half grill (centre portion only) is

ideal for small quantities of food.

•ss•smeg

| ۲ | Pizza function: The simultaneous operation of three elements ensures an optimum cooking facility when used with the Smeg pizza stone. | | Circulaire with upper and lower elements: The use of the fan with both elements allows food to be cooked quickly and effectively, ideal for large joints that require thorough cooking. It offers a similar result to rotisserie, moving the heat around the food, instead of moving the food itself, enabling any size or shape to be cooked. |
|-----------|---|---------|--|
| 旦 | All glass inner door: All glass inner door, a single flat surface which is simple to keep clean. | H | The inner door glass: can be removed with a few quick movements for cleaning. |
| ୍ତି)ଟ | Keep warm: This function allows you to keep precooked foods warm. | Č. | Side lights: Two opposing side lights increase visibility inside the oven. |
| P | Pyrolitic: Pyrolitic cleaning cycles can be selected as necessary to automatically clean the oven interior. | Ë | Air at 40°C provides the perfect environment for proving yeast type dough mixes. Simply select the function and place dough in the cavity for allotted |
| <u>-</u> | Rapid preheat: The rapid preheat function can be used to reach the selected temperature in just a few minutes. | i | Sabbath: This function allows you to cook food whilst respecting the provisions of the Jewish day of rest. |
| <u>.5</u> | The oven cavity has 5 different cooking levels. | D | Soft close: all models are equipped with advanced function of smooth closing of the door, which allows the device to close smoothly and quietly. |
| 5 | Electronic control: Allows you to maintain temperature inside the oven with the precision 2- 3 ° C. This enables to cook meals that are very sensitive to temperature changes, such as cakes, souffles, puddings. | 70 lt | The capacity indicates the amount of usable space in the oven cavity in litres. |
| 79 It | The capacity indicates the amount of usable space in the oven cavity in litres. | COMPACT | |