

SFP6378X

Category Product Family Power supply Heat source Cooking method Cleaning system EAN code

60cm Single Ovens Oven Electric Electric Thermo-ventilated Pyrolytic 8017709210649



Aesthetics

Aesthetics	Classic	Serigraphy type	Symbols		
Colour	Stainless steel	Door	With 2 horizontal strips		
Finishing	Fingerproof	Handle	Classic		
Design	Flat	Handle Colour	Stainless steel		
Material	Stainless steel	Logo	Embossed		
Type of steel	Brushed	Control knobs	Classic		
Glass Type	Eclipse	Controls colour	Steel effect		
Serigraphy colour	Black				
Controls					
Display technology	LCD	No. of controls	2		
Control setting	Control knobs				
Programs / Functions					

No. of cooking functions

9





Options

<u>المجارعة</u>			
Time-setting options	Delay start and automatic end cooking	Other options Showroom demo option Rapid pre-heating	Keep warm, Eco light Yes
Minute minder	Yes		Yes
Controls Lock / Child Safety	Yes		

Technical Features

5 🖉 🐖 📃 🛃			
Minimum Temperature	30 °C	Door	Cool
Maximum temperature	280 °C	Removable door	Yes
Shelf positions	5	Full glass inner door	Yes
No. of lights	1	Removable inner door	Yes
Light type	Halogen	Total no. of door glasses	4
User-replaceable light	Yes	Cooling system	Tangential
Light power	40 W	Cooling duct	Double
Light when door is opened	Yes	Speed Reduction Cooling System	Yes
Lower heating element power	1200 W	Door Lock During Pyrolisis	Yes
Grill element - power	1800 W	Usable cavity space	360x444x425 mm
Circular heating element	2000 W	dimensions (HxWxD)	
- Power		Temperature control	Electronic
		Cavity material	Easy clean enamel



Heating suspended when door is opened

Performance / Energy Label

Yes



Energy efficiency class A Net volume of the cavity 70 litres Energy consumption per 1.09 KWh cycle in conventional mode Energy consumption in 3.92 MJ conventional mode Energy consumption in
forced air convection2.88 MJEnergy consumption per
cycle in fan-forced
convection0.80 KWhNumber of cavities1Energy efficiency index95,2 %

Accessories Included



Chrome shelf with back 1 and side stop Enamelled tray (20mm) 1 Extra deep enamelled 1 tray (40mm)

Electrical Connection

Voltage Current Nominal power (W) 220-240 V 13 A 3000 W Grill mesh 1 Telescopic Guide rails, 1 partial Extraction

Frequency (Hz)50/60 HzPower supply cable115 cmlength115 cm







Compatible Accessories

BN620-1



Enamelled tray, 20mm deep

PALPZ



Pizza shovel with fold away handle width: 315mm length : 325mm



BN640

Enamelled tray, 40mm deep

PR3845X



Antifingerprint stainless steel. Cover for furniture in column installation of more ovens

-ss-smeg

Symbols glossary



Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.



Air cooling system: to ensure a safe surface temperatures.



Defrost by weight: With this function the defrosting time is determined



Automatic lighting switches off: for greater energy savings, the lighting switches off automatically after one minute from the start of cooking.



Enamel interior: The enamel interior of all Smeg ovens have a special antacid lining which helps keep the interior clean by reducing the amount of cooking grease adhering to it.

Fresh Touch: Most of Smeg ovens have a "cool door." Thanks to the combination of tangential cooling and internal heat-reflecting glasses, the temperature on the outer surface of the door is maintained below 50° C. In addition to providing safety, this system protects the sides of the furniture from overheating by the oven.



ECO

Fan with upper and lower elements: The elements combined with the fan aim to provide more uniform heat, a similar method to conventional cooking, so pre-heat is required. Most suitable for items requiring slow cooking methods.



ECO: The combination of the grill, fan and lower element is particularly suitable for cooking small quantities of food. A: Product drying performance, measured from A+++ to D / G depending on the product family
Defrost by time: with this function the time of thawing of foods are determined automatically.



Quadruple glazed: Number of glazed doors.

∃ Electric



Fan assisted base: the mix of fan and lower heating element alone allows to finish cooking foods already cooked on the surface but not internally more quickly. This system is recommended to finish cooking foods that are already well cooked on the surface, but not internally, which therefore require a moderate higher heat. Ideal for any type of food.

Upper and lower element only: a traditional cooking method best suited for single items located in the centre of the oven. the top pf the oven will always be hottest. Ideal for roast, fruit cakes, bread etc.

- Circulaire: The combination of the fan and circular element around it gives a hot air cooking method. This provides many benefits including no preheat if cook time is more than 20 minutes, no flavour transfer when cooking different foods at the same time, less energy, and shorter cook times. Good for all types of food.
 - Grill element: Using of grill gives excellent results when cooking meat of medium and small portions, especially when combined with a rotisserie (where possible). Also ideal for cooking sausages and bacon.

"W.C



(??	Fan with grill element: The fan reduces the fierce heat from the grill, providing an excellent method of grilling various foods, chops, steaks, sausages etc. giving even browning and heat distribution, without drying out the food. The top two levels recommended for use, and the lower part of the oven can be used to keep items warm at the same time, an excellent facility when cooking a grilled breakfast. Half grill (centre portion only) is ideal for small quantities of food.		Circulaire with upper and lower elements: The use of the fan with both elements allows food to be cooked quickly and effectively, ideal for large joints that require thorough cooking. It offers a similar result to rotisserie, moving the heat around the food, instead of moving the food itself, enabling any size or shape to be cooked.
旦	All glass inner door: All glass inner door, a single flat surface which is simple to keep clean.		The inner door glass: can be removed with a few quick movements for cleaning.
مأأث	Keep warm: This function allows you to keep precooked foods warm.	No.	Side lights: Two opposing side lights increase visibility inside the oven.
P	Pyrolitic: Pyrolitic cleaning cycles can be selected as necessary to automatically clean the oven interior.	P	Pyrolitic: The Eco pyrolitic cleaning function can be selected when the oven has a lighter build up of dirt. This function has a maximum duration of 1.5 hours.
Sector Sector	ECO-logic: option allows you to restrict the power limit of the appliance real energy saving.	Ë	Air at 40°C provides the perfect environment for proving yeast type dough mixes. Simply select the function and place dough in the cavity for allotted
-	Rapid preheat: The rapid preheat function can be used to reach the selected temperature in just a few minutes.	i	Sabbath: This function allows you to cook food whilst respecting the provisions of the Jewish day of rest.
<u>.5</u>	The oven cavity has 5 different cooking levels.		Telescopic rails: allow you to pull out the dish and check it without having to remove it from the oven entirely.
	Electronic control: Allows you to maintain temperature inside the oven with the precision 2- 3 ° C. This enables to cook meals that are very sensitive to temperature changes, such as cakes, souffles, puddings.	70 K	The capacity indicates the amount of usable space in the oven cavity in litres.



The capacity indicates the amount of usable space in the oven cavity in litres.