

## SFP6604NXE

Category Product Family Power supply Heat source Cooking method Cleaning system EAN code

60cm Oven Electric ELECTRICITY Thermoseal Pyrolitic 8017709223533



### Aesthetics

- Aesthetic Colour Finishing Design Component finish Material
- Dolce Stil Novo Black Glossy Flat Stainless steel Glass
- Glass Type Door Handle Handle Colour Logo
- Eclipse Full glass Dolce Stil Novo Black Applied

## Controls

Display technology Control setting


TFT Full touch No. of display languages Display languages 11

Italiano, English (UK), Français (FR), Nederlands, Español (ES), Português (PT), Svenska, Русский, Deutsch (DE), Dansk, Polski

## **Programs / Functions**

| No. of cooking functions | 10 |
|--------------------------|----|
| Automatic programmes     | 50 |
| Customisable recipes     | 10 |





## Options

| 0                     |  |                      |   |
|-----------------------|--|----------------------|---|
| Time-setting options  | Delay start and automatic<br>end cooking | Other options        | SmartCook system, Keep<br>warm, Eco light, Language |
| Minute minder         | Yes                                      |                      | setting, Digital clock                              |
| Timer                 | 1  |                      | display, Tones                                      |
| Controls Lock / Child | Yes                                      | Smart cooking        | Yes   |
| Safety                | 100                                      | Showroom demo option | Yes   |
|                       |  | Rapid pre-heating    | Yes   |

## **Technical Features**

| .5 🔗 💽 🕢                     | 0       |                                   |                  |
|------------------------------|---------|-----------------------------------|------------------|
| Minimum Temperature          | 30 °C   | Door opening type                 | Standard opening |
| Maximum temperature          | 280 °C  | Door                              | Cool             |
| No. of shelves               | 5       | Removable door                    | Yes              |
| N. of fans                   | 1       | Full glass inner door             | Yes              |
| No. of lights                | 2       | Removable inner door              | Yes              |
| Light type                   | Halogen | Total no. of door glasses         | 4                |
| User-replaceable light       | Yes     | Soft Close hinges                 | Yes              |
| Light Power                  | 40 W    | Cooling system                    | Tangential       |
| Light when door is<br>opened | Yes     | Cooling duct                      | Double           |
| Lower heating element        | 1200 W  | Speed Reduction<br>Cooling System | Yes              |
| power                        |         | Door Lock During<br>Pyrolisis     | Yes              |



Upper heating element - 1000 W Power 1700 W Grill element - power 2700 W Large grill - Power 2000 W - Power 2000 W Heating suspended Yes when door is opened Usable cavity space dimensions (HxWxD) Temperature control Cavity material 360x460x425 mm

Electronic Ever clean Enamel

## Performance / Energy Label



Energy efficiency classA+Net volume of the cavity70 IEnergy consumption per<br/>cycle in conventional<br/>mode1.09 KWhEnergy consumption in<br/>conventional mode3.92 MJ

Energy consumption in<br/>forced air convection2.45 MJforced air convection0.68 KWhcycle in fan-forced<br/>convection1Number of cavities1Energy efficiency index81 %


## **Accessories Included**

| Rack with back and side       | 2 | Insert gird             | 1 |
|-------------------------------|---|-------------------------|---|
| stop                          |   | Telescopic Guide rails, | 1 |
| Enamelled tray (20mm)         | 1 | total Extraction        |   |
| Enamelled deep tray<br>(40mm) | 1 |                         |   |

## **Electrical Connection**

| Voltage       | 220-240 V | Frequency (Hz)     | 50/60 Hz |
|---------------|-----------|--------------------|----------|
| Current       | 13 A      | Power supply cable | 115 cm   |
| Nominal power | 3000 W    | length             |          |







## **Compatible Accessories**

#### BN620-1



Enamelled tray, 20mm deep

#### GTP



\*\*Partially extractable telescopic guides (1 level)\*\* Extraction: 300 mm Material: Stainless steel AISI 430 polished

#### PALPZ



Pizza shovel with fold away handle width: 315mm length : 325mm

#### PR3845X



Antifingerprint stainless steel. Cover for furniture in column installation of more ovens

#### BN640

Enamelled tray, 40mm deep

#### GTT




\*\*Totally extractable telescopic guides (1 level)\*\* Extraction: 433 mm Material: Stainless steel AISI 430 polished

#### PR3845N

Black cover for furniture when more ovens are installed in column

# -ss-smeg

## Symbols glossary



for all types of food.



| $\overline{}$ | Grill element: Using of grill gives excellent results<br>when cooking meat of medium and small<br>portions, especially when combined with a<br>rotisserie (where possible). Also ideal for cooking<br>sausages and bacon.  | (??<br>      | Fan with grill element: The fan reduces the fierce<br>heat from the grill, providing an excellent method<br>of grilling various foods, chops, steaks, sausages<br>etc. giving even browning and heat distribution,<br>without drying out the food. The top two levels<br>recommended for use, and the lower part of the<br>oven can be used to keep items warm at the<br>same time, an excellent facility when cooking a<br>grilled breakfast. Half grill (centre portion only) is<br>ideal for small quantities of food. |
|---------------|--|--------------|---|
|               | Circulaire with upper and lower elements: The<br>use of the fan with both elements allows food to<br>be cooked quickly and effectively, ideal for large<br>joints that require thorough cooking. It offers a<br>similar result to rotisserie, moving the heat<br>around the food, instead of moving the food itself,<br>enabling any size or shape to be cooked. | 旦            | All glass inner door: All glass inner door, a single<br>flat surface which is simple to keep clean.   |
| B             | The inner door glass: can be removed with a few quick movements for cleaning.  | <b>5</b> []© | KEEP_WARM_72dpi   |
| \$<br>\$      | Side lights: Two opposing side lights increase visibility inside the oven.   | P            | Pyrolitic: Pyrolitic cleaning cycles can be selected<br>as necessary to automatically clean the oven<br>interior.   |
| P             | Pyrolitic: The Eco pyrolitic cleaning function can<br>be selected when the oven has a lighter build up<br>of dirt. This function has a maximum duration of<br>1.5 hours.   |              | Warming up: An option for dish warming and keeping the prepared meals hot.  |
| logic         | ECO-logic: option allows you to restrict the power<br>limit of the appliance real energy saving.   | ±±t          | Air at 40°C provides the perfect environment for<br>proving yeast type dough mixes. Simply select<br>the function and place dough in the cavity for<br>allotted   |
| =             | Rapid preheat: The rapid preheat function can be<br>used to reach the selected temperature in just a<br>few minutes.   | i            | Sabbath: This function allows you to cook food<br>during the Sabbath, the Holiday of rest in the<br>Jewish religion, respecting the precepts. The oven<br>works   |
| <u>.5</u>     | The oven cavity has 5 different cooking levels.  | <b>\$</b>    | Smart Cooking System: for the perfect cooking it<br>is simply necessary choosing the kind and the<br>weight of food and the cooking temperature: any<br>other setting will be established automatically.  |
| Ø             | Soft close: all models are equipped with<br>advanced function of smooth closing of the door,<br>which allows the device to close smoothly and<br>quietly.  |              | Telescopic rails: allow you to pull out the dish and<br>check it without having to remove it from the<br>oven entirely.   |
|               | Electronic control: Allows you to maintain<br>temperature inside the oven with the precision 2-<br>3 ° C. This enables to cook meals that are very<br>sensitive to temperature changes, such as cakes,<br>souffles, puddings.  | (Q)          | Touch controls: Easy to use touch controls allow<br>the appliance to be programmed at the touch of<br>a button.   |



|   |   |   |   | ſ |
|---|---|---|---|---|
| 7 | n | ł |   | L |
| Ľ | • |   | 1 | L |

The capacity indicates the amount of usable space in the oven cavity in litres.



The capacity indicates the amount of usable space in the oven cavity in litres.