

# SFP9302TX



|                 |                   |
|-----------------|-------------------|
| Category        | 90cm              |
| Product Family  | Oven              |
| Power supply    | Electric          |
| Heat source     | ELECTRICITY       |
| Cooking method  | Thermo-ventilated |
| Cleaning system | Pyrolitic         |
| EAN code        | 8017709325466     |



## Aesthetics

|                   |                 |                 |                          |
|-------------------|-----------------|-----------------|--------------------------|
| Aesthetic         | Classica        | Serigraphy type | Symbols                  |
| Colour            | Stainless steel | Door            | With 2 horizontal strips |
| Finishing         | Fingerproof     | Handle          | Classic                  |
| Design            | Flat            | Handle Colour   | Inox                     |
| Material          | Stainless steel | Logo            | Embossed                 |
| Type of steel     | Brushed         | Control knobs   | Classic                  |
| Glass Type        | Eclipse         | Controls colour | Steel effect             |
| Serigraphy colour | Black           |                 |                          |











## Controls

|  |           |                 |                       |
|--|-----------|-----------------|-----------------------|
|  |           |                 |                       |
| Display name   | EvoScreen | Control setting | Knobs & touch buttons |
| Display technology   | LCD       | No. of controls | 2                     |

## Programs / Functions main oven

|                          |    |
|--------------------------|----|
| No. of cooking functions | 10 |
|--------------------------|----|


## Traditional cooking functions

|  |  |   |
|--|--|---|
|  Static            |  Fan assisted |  Circulaire          |
|  Turbo             |  Eco          |  Large grill         |
|  Fan grill (large) |  Base         |  Circulaire + bottom |
|  Pizza             |  |   |

## Other functions

|  |   |   |
|--|---|---|
|  Defrost by time |  Leavening |  Stone cooking |
|  BBQ             |  Air-Fry   |  Sabbath       |

## Cleaning functions

|  |
|--|
|  Pirólisis |
|--|

## Options



|                                     |                                       |
|-------------------------------------|---------------------------------------|
| <b>Time-setting options</b>         | Delay start and automatic end cooking |
| <b>Minute minder</b>                | Yes                                   |
| <b>Controls Lock / Child Safety</b> | Yes                                   |

|                             |   |
|-----------------------------|---|
| <b>Other options</b>        | Keep warm, Eco light, Brightness, Tones |
| <b>Showroom demo option</b> | Yes                                     |
| <b>Rapid pre-heating</b>    | Yes                                     |

## Technical Features




|                                      |         |   |                  |
|--------------------------------------|---------|---|------------------|
| <b>Minimum Temperature</b>           | 25 °C   | <b>Heating suspended when door is opened</b>  | Yes              |
| <b>Maximum temperature</b>           | 280 °C  | <b>Door opening type</b>                      | Standard opening |
| <b>No. of shelves</b>                | 5       | <b>Door</b>                                   | Temperate door   |
| <b>N. of fans</b>                    | 3       | <b>Removable door</b>                         | Yes              |
| <b>No. of lights</b>                 | 2       | <b>Full glass inner door</b>                  | Yes              |
| <b>Light type</b>                    | Halogen | <b>Removable inner door</b>                   | Yes              |
| <b>User-replaceable light</b>        | Yes     | <b>Total no. of door glasses</b>              | 4                |
| <b>Light Power</b>                   | 40 W    | <b>Soft Close hinges</b>                      | Yes              |
| <b>Light when door is opened</b>     | Yes     | <b>Cooling system</b>                         | Tangential       |
| <b>Lower heating element power</b>   | 1700 W  | <b>Cooling duct</b>                           | Double           |
| <b>Upper heating element - Power</b> | 1200 W  | <b>Speed Reduction</b>                        | Yes              |
| <b>Grill element - power</b>         | 1700 W  | <b>Cooling System</b>                         |                  |
|                                      |         | <b>Usable cavity space dimensions (HxWxD)</b> | 371x724x418 mm   |

Large grill - Power 2900 W  
 Circular heating element 1550 W  
 - Power  
 Circular heating element 1550 W  
 2 - Power

Temperature control Electronic  
 Cavity material Ever clean Enamel

## Performance / Energy Label



Energy efficiency class A+  
 Net volume of the cavity 115 l  
 Energy consumption per cycle in conventional mode 0.84 KWh  
 Energy consumption in conventional mode 3.02 MJ

Energy consumption in forced air convection 5.47 MJ  
 Energy consumption per cycle in fan-forced convection 1.52 KWh  
 Number of cavities 1  
 Energy efficiency index 81,6 %

## Accessories included



Rack with back stop 2  
 Enamelled tray (20mm) 1  
 Enamelled deep tray (40mm) 1

Insert grid 1  
 Telescopic Guide rails, partial Extraction 1

## Electrical Connection

Plug Not present  
 Voltage 220-240 V  
 Current 18 A  
 Nominal power 4000 W

Voltage 2 380-415 V  
 Frequency (Hz) 50/60 Hz  
 Power supply cable length 150 cm



---

## Compatible Accessories

---

### GTP

Partially extractable telescopic guides (1 level), suitable for traditional ovens. Made in stainless steel, they guarantee stability and facilitate the smooth extraction of the trays.



### PPR9

Refractory pizza stone without handles. Squared shaped stone: L64xH2,3xP37,5 cm Suitable also for gas ovens, to be put on the griddle.



































### GTT

Totally extractable telescopic guides (1 level), suitable for traditional ovens. Made in stainless steel, they guarantee stability and facilitate the smooth extraction of the trays.



## Symbols glossary

|   |  |
|---|--|
|  <p><b>Triple Fan Technology:</b> The oven is equipped with an exclusive three fan system, which, combined with the increased power of the motors, enables excellent cooking performance. The two large side fans distribute the air around the outer perimeter of the cavity while the smaller central fan increases ventilation by creating a vertical vortex of heat. Accordingly, the temperature within the cavity is uniform, allowing food to be cooked evenly on all five levels, like in professional kitchens.</p>  |  <p><b>A+:</b> Energy efficiency class A+ helps to save up to 10% energy compared to class A. Maximum performance with minimum consumption is guaranteed.</p>   |
|  <p><b>Child lock:</b> some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.</p>   |  <p><b>Air cooling system:</b> to ensure a safe surface temperatures.</p>   |
|  <p><b>Defrost by time:</b> Manual defrost function. At the end of the set duration, the function stops.</p>  |  <p><b>Quadruple glazed:</b> Number of glazed doors.</p>  |
|  <p><b>Automatic lighting deactivation:</b> For greater energy savings, the lighting turns off automatically after one minute from the start of cooking. The option can be disabled via the settings menu. In this case the light will remain on for the entire duration of cooking.</p>  |  <p><b>Electric</b></p>   |
|  <p><b>Ever Clean Enamel:</b> Ever Clean enamel is applied electrostatically, corner to corner and edge to edge to prevent cracking or cracks over time. It is a particular pyrolytic enamel, resistant to acids which, in addition to being pleasantly bright, promotes greater cleaning of the oven walls, thanks to its lower porosity. It is baked at over 850 ° C and slowly polymerized at a scientifically determined rate to ensure uniform depth and strength. Ever Clean enamel creates an impeccable finish both on the inside of the oven and on the trays, making the surfaces of the oven incredibly easy to maintain over time as it reduces the adhesion of fat during cooking.</p> |  <p><b>Fan assisted:</b> Intense and homogeneous traditional cooking, also suitable for complex recipes. The fan is active and the heat comes from below and from above at the same time. Ventilated cooking ensures a faster and more homogeneous result, leaving fragrant foods outside and moister inside. Ideal for baked pasta, biscuits, roasts and cobblers.</p> |
|  <p><b>Static:</b> Traditional cooking suitable for the preparation of one dish at a time. The fan is not active and the heat comes from below and from above at the same time. Static cooking is slower and more delicate, ideal in order to get well cooked and dry dishes even inside. Ideal for cooking all types of roasts, fatty meats, bread, filled cakes.</p>  |  <p><b>Base:</b> the heat comes only from the bottom of the cavity. The fan is not active. Ideal for sweet and savory pies, cobblers and pizzas. Designed to complete cooking and make food more crunchy. This symbol in gas ovens indicates the gas burner.</p>  |
|  <p><b>Circulaire with lower element:</b> The addition of the lower element adds extra heat at the base for food which requires extra cooking.</p>  |  <p><b>Circulaire:</b> it is the perfect function for cooking all types of dishes in a more delicate way. The heat comes from the back of the oven and is distributed quickly and evenly. The fan is active. It is also ideal for cooking on multiple levels without mixing smells and flavors.</p>   |

|   |   |
|---|---|
|  <p>ECO: low energy consumption cooking: this function is particularly suitable for cooking on a single shelf with low energy consumption. It is recommended for all types of food except those that can generate a lot of moisture (for example vegetables). To achieve maximum energy savings and reduce time, it is recommended to put the food in the oven without preheating the cooking compartment</p> |  <p>Grill: Very intense heat coming only from above from a double heating element. The fan is not active. Provides excellent grilling and gratinating results. Used at the end of cooking, it gives a uniform browning to dishes.</p>  |
|  <p>Fan grill: very intense heat coming only from above from a double heating element The fan is active. It allows the optimal grilling of thickest meats. Ideal for large cuts of meat.</p>  |  <p>Pizza function: Specific function for cooking pizza in a pan. It allows to obtain a pizza that is soft inside and crispy outside with the topping perfectly cooked, not dry and not burnt.</p>   |
|  <p>Turbo: the heat comes from 3 directions: above, below and from the back of the oven The fan is active. It allows quick cooking, even on several shelves without mixing the aromas. Ideal for large volumes or foods that require intense cooking.</p>   |  <p>All glass inner door: All glass inner door, a single flat surface which is simple to keep clean.</p>   |
|  <p>The inner door glass: can be removed with a few quick movements for cleaning.</p>   |  <p>KEEP_WARM_72dpi</p>  |
|  <p>Side lights: Two opposing side lights increase visibility inside the oven.</p>  |  <p>PYROLYSIS - AUTOMATIC CLEANING FUNCTION: the oven heats up to a temperature approaching 500 ° C and chars grease and food residues into a fine ash that can be easily wiped off with a damp cloth. At such a high temperature, the door locks automatically for safety, while the temperature of the door remains controlled so it is safe to touch User adjustable function based on the level of dirt present in the oven.</p> |
|  <p>Air at 40°C provides the perfect environment for proving yeast type dough mixes. Simply select the function and place dough in the cavity for allotted</p>  |  <p>Rapid preheating: cooking is preceded by the preheating phase which allows the cooking compartment to reach the set temperature. This option reduces the time by up to 50%.</p>  |
|  <p>SABBATH: function that allows to cook food respecting Judaism's day of rest provisions.</p>   |  <p>The oven cavity has 5 different cooking levels.</p>  |
|  <p>Soft close: all models are equipped with advanced function of smooth closing of the door, which allows the device to close smoothly and quietly.</p>  |  <p>Telescopic rails: allow you to pull out the dish and check it without having to remove it from the oven entirely.</p>  |
|  <p>Electronic control: Allows you to maintain temperature inside the oven with the precision 2-3 ° C. This enables to cook meals that are very sensitive to temperature changes, such as cakes, souffles, puddings.</p>  |  <p>The capacity indicates the amount of usable space in the oven cavity in litres.</p>  |



The capacity indicates the amount of usable space in the oven cavity in litres.



The new EVOscreen display is enhanced with new, optimised colour graphics: 5 touch buttons control functions and parameters in an extremely simple way.



Dedicated cooking function for the double sided plate BBQ. Suitable for recreating succulent and crispy dishes in the oven with the typical taste of grilled cooking. The ribbed side is particularly suitable for meats and cheeses; the smooth side for fish, seafood and vegetables.



Dedicated cooking function for the Air fryer rack AIRFRY . Ideal for recreating traditional frying in the oven, but with fewer calories and less fat. It allows you to cook quickly and simply dishes such as French fries, fried vegetables and fish, ensuring perfect browning and crispiness.



Dedicated cooking function for the rectangular refractory stone PPR2 Dimensions Ideal for cooking pizzas with the same results as a typical wood-fired oven. Can also be used for baking bread, focaccias and other recipes such as pies, flans or biscuits