

## SFPA6101TVS

Category Product Family Power supply Heat source Cooking method Cleaning system EAN code

60cm Single Ovens Oven Electric Electric Thermo-ventilated Pyrolytic 8017709267964



## Aesthetics

Aesthetics Colour	Linea Silver	Serigraphy type Door	Symbols Full glass
Design	Flat	Handle	Linea
Material	Glass	Handle Colour	Chromed
Glass Type	Stopsol	Logo	Silk screen
Serigraphy colour	White	Control knobs	Linea
Controls			
Display technology Control setting	LCD Control knobs	No. of controls	2

## **Programs / Functions**

No. of cooking functions

9



Traditional cooking functions		
Static	🛞 Fan assisted	Ciculaire
8		
Turbo (circulaire + bottom + upper +	ECO ECO	Large grill
fan)		
😨 Fan grill (large)	Base	🛞 Fan assisted base
Other functions		
Defrost by time	Defrost by weight	Proving
Sabbath		
Cleaning functions		
P Pyrolytic	Pyrolytic eco	

## Options

Time-setting options	Delay start and automatic end cooking	Controls Lock / Child Safety	Yes
Minute minder	Yes	Showroom demo option	Yes
Timer	1	Rapid pre-heating	Yes

## **Technical Features**

5 🖉 🐺 🗍			
Minimum Temperature	30 °C	Door	Cool
Maximum temperature	280 °C	Removable door	Yes
Shelf positions	5	Full glass inner door	Yes
No. of lights	1	Removable inner door	Yes
Light type	Halogen	Total no. of door glasses	4
User-replaceable light	Yes	Soft Close hinges	Yes
Light power	40 W	Cooling system	Tangential
Light when door is	Yes	Cooling duct	Double
opened		Speed Reduction	Yes
Lower heating element	1200 W	Cooling System	
power		Door Lock During	Yes
Grill element - power	1800 W	Pyrolisis	
Circular heating element - Power	2000 W	Usable cavity space dimensions (HxWxD)	360x460x425 mm



Heating suspended when door is opened Door opening type Yes Standard opening Temperature control Cavity material Electronic Easy clean enamel

## Performance / Energy Label



Energy efficiency class	А
Net volume of the cavity	70 litres
Energy consumption per cycle in conventional mode	1.09 KWh
Energy consumption in conventional mode	3.92 MJ

Energy consumption in<br/>forced air convection2.88 MJEnergy consumption per<br/>cycle in fan-forced<br/>convection0.80 KWhNumber of cavities1Energy efficiency index95,2 %

### **Accessories Included**




Chrome shelf with back 1 and side stop Extra deep enamelled 1 tray (40mm)

Grill mesh 1 Telescopic Guide rails, 1 partial Extraction

### **Electrical Connection**

Plug(I) AustraliaNominal power (W)3000 WVoltage220-240 ∨Frequency (Hz)50/60 HzCurrent13 APower supply cable<br/>length115 cm







## **Compatible Accessories**

### BN620-1



Enamelled tray, 20mm deep

#### GTP



#### \*\*Partially extractable telescopic guides (1 level)\*\* Extraction: 300 mm Material: Stainless steel AISI 430 polished

#### PALPZ



## Pizza shovel with fold away handle width: 315mm length : 325mm





#### BN640

Enamelled tray, 40mm deep

#### GTT


\*\*Totally extractable telescopic guides (1 level)\*\* Extraction: 433 mm Material: Stainless steel AISI 430 polished

#### PR3845X

Antifingerprint stainless steel. Cover for furniture in column installation of more ovens

## -ss-smeg

## Symbols glossary



# -se-smeg

0		7
		1
	_	4.
	6	· \

All glass inner door: All glass inner door, a single flat surface which is simple to keep clean.



ECO P Side lights: Two opposing side lights increase visibility inside the oven.

Pyrolitic: The Eco pyrolitic cleaning function can be selected when the oven has a lighter build up of dirt. This function has a maximum duration of 1.5 hours.



Air at 40°C provides the perfect environment for proving yeast type dough mixes. Simply select the function and place dough in the cavity for allotted



Sabbath: This function allows you to cook food whilst respecting the provisions of the Jewish day of rest.



°C

Soft close: all models are equipped with advanced function of smooth closing of the door, which allows the device to close smoothly and quietly.

Electronic control: Allows you to maintain temperature inside the oven with the precision 2-3 ° C. This enables to cook meals that are very sensitive to temperature changes, such as cakes, souffles, puddings.



The capacity indicates the amount of usable space in the oven cavity in litres.

The inner door glass: can be removed with a few quick movements for cleaning.



Pyrolitic: Pyrolitic cleaning cycles can be selected as necessary to automatically clean the oven interior.



ECO-logic: option allows you to restrict the power limit of the appliance real energy saving.



Rapid preheat: The rapid preheat function can be used to reach the selected temperature in just a few minutes.



The oven cavity has 5 different cooking levels.



Telescopic rails: allow you to pull out the dish and check it without having to remove it from the oven entirely.



The capacity indicates the amount of usable space in the oven cavity in litres.