

SFR9302TX



Category Product Family Power supply Heat source Cooking method Cleaning system EAN code Reduced height 90 cm Oven Electric ELECTRICITY Thermo-ventilated Vapor Clean 8017709326548



Aesthetics

| Aesthetic | Classica | Serigraphy type | Symbols |
|-------------------|-----------------|-----------------|--------------------------|
| Colour | Stainless steel | Door | With 2 horizontal strips |
| Finishing | Fingerproof | Handle | Classic |
| Design | Flat | Handle Colour | Inox |
| Material | Stainless steel | Logo | Embossed |
| Type of steel | Brushed | Control knobs | Classic |
| Glass Type | Eclipse | Controls colour | Steel effect |
| Serigraphy colour | Black | | |

Controls

EVO

| screen | | | |
|--------------------|-----------|-----------------|-----------------------|
| Display name | EvoScreen | Control setting | Knobs & touch buttons |
| Display technology | LCD | No. of controls | 2 |

Programs / Functions main oven

No. of cooking functions

10



| Traditional cooking functions | | |
|-------------------------------|----------------|---------------------|
| Static | 🛞 Fan assisted | Circulaire |
| 🛞 Turbo | ECO Eco | Large grill |
| 😨 Fan grill (large) | Base | Circulaire + bottom |
| Bizza | | |
| Other functions | | |
| Defrost by time | Leavening | Sabbath |
| Cleaning functions | | |
| Vapor Clean | | |

Options

| 0 1 | | | |
|---------------------------------|--|----------------------|--|
| Time-setting options | Delay start and automatic end cooking | Other options | Keep warm, Eco light, Brightness, Tones |
| Minute minder | Yes | Showroom demo option | Yes |
| Timer | 1 | Rapid pre-heating | Yes |
| Controls Lock / Child Safety | Yes | | |

Technical Features

| Minimum Temperature25 °CHeating suspendedYesMaximum temperature280 °Cwhen door is openedStandard openingNo. of shelves4Door opening typeStandard openingN. of fans2DoorCoolNo. of lights2Removable doorYesLight typeHalogenFull glass inner doorYesUser-replaceable lightYesRemovable inner doorYesLight when door isYesSoft Close hinges3Light when door isYesSoft Close hingesYesopened1700 WCooling ductDoublepower1700 WSpeed ReductionYes | 4 | | | |
|--|------------------------|----------|---------------------------|------------------|
| No. of shelves4Door opening typeStandard openingN. of fans2DoorCoolNo. of lights2Removable doorYesLight typeHalogenFull glass inner doorYesUser-replaceable lightYesRemovable inner doorYesLight Power40 WTotal no. of door glasses3Light when door is openedYesSoft Close hingesYesLower heating element1700 WCooling ductDoublepowerSpeed ReductionYes | Minimum Temperature | 25 °C | • • | Yes |
| N. of fans2DoorCoolNo. of lights2Removable doorYesLight typeHalogenFull glass inner doorYesUser-replaceable lightYesRemovable inner doorYesLight Power40 WTotal no. of door glasses3Light when door is openedYesSoft Close hingesYesLower heating element1700 WCooling duct Speed ReductionDoubleSoft ReductionYesSoft ReductionYes | Maximum temperature | 280 °C | when door is opened | |
| No. of lights2Removable doorYesLight typeHalogenFull glass inner doorYesUser-replaceable lightYesRemovable inner doorYesLight Power40 WTotal no. of door glasses3Light when door is openedYesSoft Close hingesYesLower heating element1700 WCooling ductDoublepowerSpeed ReductionYes | No. of shelves | 4 | Door opening type | Standard opening |
| No. of lights2HologenFull glass inner doorYesLight typeHalogenFull glass inner doorYesUser-replaceable lightYesRemovable inner doorYesLight Power40 WTotal no. of door glasses3Light when door is openedYesSoft Close hingesYesLower heating element1700 WCooling ductDoublepowerSpeed ReductionYes | N. of fans | 2 | Door | Cool |
| Light typeHalogenFull glass inner doorYesUser-replaceable lightYesRemovable inner doorYesLight Power40 WTotal no. of door glasses3Light when door is openedYesSoft Close hingesYesLower heating element1700 WCooling ductDoublepowerSpeed ReductionYes | No. of lights | 2 | Removable door | Yes |
| Light Power 40 W Total no. of door glasses 3 Light when door is opened Yes Soft Close hinges Yes Lower heating element 1700 W Cooling duct Double power Speed Reduction Yes | | Halogen | Full glass inner door | Yes |
| Light Power40 WTotal no. of door glasses 3Light when door is openedYesSoft Close hingesYesLower heating element1700 WCooling systemTangentialLowerSpeed ReductionYesYes | User-replaceable light | Yes | Removable inner door | Yes |
| opened Cooling system Tangential Lower heating element 1700 W Cooling duct Double power Speed Reduction Yes | | 40 W | Total no. of door glasses | 3 |
| Lower heating element 1700 W Cooling duct Double power Speed Reduction Yes | Light when door is | Yes | Soft Close hinges | Yes |
| power Speed Reduction Yes | opened | | Cooling system | Tangential |
| Speed Reduction Yes | • | 1700 W | Cooling duct | Double |
| | • | | Speed Reduction | Yes |
| Upper heating element - 1200 W Cooling System | •• | 1200 W | Cooling System | |
| Power Usable cavity space 283x724x418 mm | | 1700.11/ | Usable cavity space | 283x724x418 mm |
| Grill element - power 1700 W dimensions (HxWxD) | • | | dimensions (HxWxD) | |
| Large grill - Power 2900 W Temperature control Electronic | Large grill - Power | 2900 W | Temperature control | Electronic |



Circular heating element 1550 W - Power Circular heating element 1550 W 2 - Power **Cavity material**

Ever clean Enamel

Performance / Energy Label



| Energy efficiency class | A+ |
|---|----------|
| Net volume of the cavity | 85 I |
| Energy consumption per cycle in conventional mode | 0,73 kWh |
| Energy consumption in conventional mode | 2,63 MJ |

| Energy consumption in | 4,50 MJ |
|-------------------------|----------|
| forced air convection | |
| Energy consumption per | 1,25 kWh |
| cycle in fan-forced | |
| convection | |
| Number of cavities | 1 |
| Energy efficiency index | 80,2 % |


Accessories included

| Rack with back stop | 1 | Insert gird | 1 |
|-------------------------------|---|---|---|
| Enamelled deep tray (40mm) | 1 | Telescopic Guide rails, total Extraction | 1 |

Electrical Connection

| Plug | Not present | Nominal power | 3100 W |
|---------|-------------|------------------------------|----------|
| Voltage | 220-240 V | Frequency (Hz) | 50/60 Hz |
| Current | 14 A | Power supply cable length | 150 cm |







Compatible Accessories



BNP608T

Teflon-coated tray, 8 mm depth, to be placed on the grid

GTT



Totally extractable telescopic guides (1 level), suitable for traditional ovens. Made in stainless steel, they guarantee stability and facilitate the smooth extraction of the trays.

GTP

Partially extractable telescopic guides (1 level), suitable for traditional ovens. Made in stainless steel, they guarantee stability and facilitate the smooth extraction of the trays.

PPR9



Refractary pizza stone without handles. Squared shaped stone: L64xH2,3xP37,5 cm Suitable also for gas ovens, to be put on the griddle.

•se•smeg

Symbols glossary



Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.



Air cooling system: to ensure a safe surface temperatures.



R

The new EVOscreen display is enhanced with new, optimised colour graphics: 5 touch buttons control functions and parameters in an extremely simple way.

Automatic lighting deactivation: For greater energy savings, the lighting turns off automatically after one minute from the start of cooking The option can be disabled via the settings menu. In this case the light will remain on for the entire duration of cooking.

Ever Clean Enamel: Ever Clean enamel is applied electrostatically, corner to corner and edge to edge to prevent cracking or cracks over time. It is a particular pyrolytic enamel, resistant to acids which, in addition to being pleasantly bright, promotes greater cleaning of the oven walls, thanks to its lower porosity. It is baked at over 850 ° C and slowly polymerized at a scientifically determined rate to ensure uniform depth and strength Ever Clean enamel creates an impeccable finish both on the inside of the oven and on the trays, making the surfaces of the oven incredibly easy to maintain over time as it reduces the adhesion of fat during cooking

Fan assisted: Intense and homogeneous traditional cooking, also suitable for complex recipes. The fan is active and the heat comes from below and from above at the same time. Ventilated cooking ensures a faster and more homogeneous result, leaving fragrant foods outside and moister inside. Ideal for baked pasta, biscuits, roasts and cobblers.

Base: the heat comes only from the bottom of the cavity. The fan is not active. Ideal for sweet and savory pies, cobblers and pizzas. Designed to complete cooking and make food more crunchy This symbol in gas ovens indicates the gas burner. A+: Energy efficiency class A+ helps to save up to 10% energy compared to class A. Maximum performance with minimum consumption is guaranteed.



Defrost by time: Manual defrost function. At the end of the set duration, the function stops.



"W"C

2

Triple glazed doors: Number of glazed doors.



Fresh Touch: Most of Smeg ovens have a "cool door." Thanks to the combination of tangential cooling and internal heat-reflecting glasses, the temperature on the outer surface of the door is maintained below 50° C. In addition to providing safety, this system protects the sides of the furniture from overheating by the oven.

Static: Traditional cooking suitable for the preparation of one dish at a time. The fan is not active and the heat comes from below and from above at the same time. Static cooking is slower and more delicate, ideal in order to get well cooked and dry dishes even inside. Ideal for cooking all types of roasts, fatty meats, bread, filled cakes.

Circulaire with lower element: The addition of the lower element adds extra heat at the base for food which requires extra cooking.



| | Circulaire: it is the perfect function for cooking all types of dishes in a more delicate way. The heat comes from the back of the oven and is distributed quickly and evenly The fan is active. It is also ideal for cooking on multiple levels without mixing smells and flavors. | ECO | ECO: low energy consumption cooking: this function is particularly suitable for cooking on a single shelf with low energy consumption. It is recommended for all types of food except those that can generate a lot of moisture (for example vegetables). To achieve maximum energy savings and reduce time, it is recommended to put the food in the oven without preheating the cooking compartment |
|----------|--|----------|---|
| \sim | Grill: Very intense heat coming only from above from a double heating element. The fan is not active. Provides excellent grilling and gratinating results. Used at the end of cooking, it gives a uniform browning to dishes. | (?? | Fan grill: very intense heat coming only from above from a double heating element The fan is active. It allows the optimal grilling of thickest meats. Ideal for large cuts of meat. |
| ٢ | Pizza function: Specific function for cooking pizza in a pan. It allows to obtain a pizza that is soft inside and crispy outside with the topping perfectly cooked, not dry and not burnt. | | Turbo: the heat comes from 3 directions: above, below and from the back of the oven The fan is active. It allows quick cooking, even on several shelves without mixing the aromas. Ideal for large volumes or foods that require intense cooking. |
| 48 CT | Compact appliances with a height of 48 cm. Perfect solution to meet the functional requirements of kitchen sets of small height. Available in several types and in different styles. | 旦 | All glass inner door: All glass inner door, a single flat surface which is simple to keep clean. |
| H | The inner door glass: can be removed with a few quick movements for cleaning. | ર્ગ | KEEP_WARM_72dpi |
| ین م | Side lights: Two opposing side lights increase visibility inside the oven. | Ë | Air at 40°C provides the perfect environment for proving yeast type dough mixes. Simply select the function and place dough in the cavity for allotted |
| = | Rapid preheating: cooking is preceded by the preheating phase which allows the cooking compartment to reach the set temperature. This option reduces the time by up to 50%. | i | SABBATH: function that allows to cook food respecting Judaism's day of rest provisions. |
| .4 | The oven cavity has 4 different cooking levels. | ø | Soft close: all models are equipped with advanced function of smooth closing of the door, which allows the device to close smoothly and quietly. |
| | Telescopic rails: allow you to pull out the dish and check it without having to remove it from the oven entirely. | <u>.</u> | Electronic control: Allows you to maintain temperature inside the oven with the precision 2- 3 ° C. This enables to cook meals that are very sensitive to temperature changes, such as cakes, souffles, puddings. |
| V | Vapor Clean: a simple cleaning function using steam to loosen deposits in the oven cavity. | 85 lt | The capacity indicates the amount of usable space in the oven cavity in litres. |