

# **SG861S**

Sink material Stainless steel
Type Welded sink

No. of bowls 1
Drainer Left

**EAN code** 8017709016036



## **Aesthetics**



AestheticUniversaleBuilding in typeStandardSeriesAlbaLogoEmbossedColourStainless steelTap hole / precut tap1 Tap hole

Finishing Brushed hole

8 mm

60 cm

	Bowl type RH	Bowl thickness (mm)	Bowl dimensions, WxDxH (mm)	Bowl depth (mm)	Radius corner right bowl (mm)	Overflow	Strainer position	Strainer dimension
RH Bowl	Traditional	0.7	450 x 400 x 210	210	80	Yes, traditional	Side bowl	3.5"

## **Technical Features**

Height from kitchen top



radius

Base unit size

Frame thickness 0,7 mm Tap hole 1
Frame depth (mm) 13 Tap hole diameter 35 mm

Dimensions of the 220x860x500 mm Drainer inclination 2 ° product (mm) Gasket type Sealing paste

Cutout dimension 840 x 480 mm No. of clips 6

topmount (mm) Type of clips Standard


Undermount cutout 15 mm



# Accessories included

Accessories for installation

Strainer, Savespace siphon with dishwasher outlet connection, Fixing clips, Gasket





# **Compatible Accessories**





Siphon single bowl sinks (dishwasher connection included)



COL19



St/Steel colander to fit MINIMUM radius mm bowl, measures 200 x 410 x 26 mm

COL36



St/steel colander for MINIMUM radius

bowls, measures 370 x 410 x 30 mm





Waste disposal 0,5 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet





Waste disposal 1 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet

**STABMIX** 



Tap stabiliser

### CB25MN



Single HPE chopping board to fit minimum radius bowls, black matt, measures 250 x 410 H 12 mm, dishwasher safe

#### COL19H



St/Steel colander to fit MINIMUM radius mm bowl, measures 200 x 410 x 100 mm

#### **DB34**



St/steel drain basket to fit STD radius 340 x 400 bowl, 180 mm depth

### KITFD075



Waste disposal 0,75 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet

#### RND1V



Rondò waste kit 1 bowl with standard overflow



# Symbols glossary



Cupboard width required for sink installation



Sink depth - depending on the model, the depth can be from 13 to 24.5



Standard installation: Traditional installation in tabletop, suitable for any kitchen sets



# Benefit (TT)

### One bowl

A single bowl for greater adaptability, capacity and space optimisation

#### Drainer

The drawer allows dishes, cutlery and kitchen utensils to be placed directly on the sink after washing: excess water can drain into the sink, allowing for natural drying

### Tap hole

Possibility of having the tap hole for direct installation of the tap on the sink, for a larger and neater surface area