

SGE116.1D

| | |
|---------------|-----------------|
| Sink material | Stainless steel |
| Type | Welded sink |
| No. of bowls | 1 |
| Drainer | Right |
| EAN code | 8017709061654 |



Aesthetics



| | | | |
|-----------|-----------------|----------------------------|------------|
| Aesthetic | Universale | Building in type | Standard |
| Series | Alba | Logo | Embossed |
| Colour | Stainless steel | Tap hole / precut tap hole | 1 Tap hole |
| Finishing | Brushed | | |

| | Bowl type LH | Bowl thickness LH (mm) | Bowl dimensions LH, WxDxA (mm) | LH Bowl depth (mm) | Radius corner left bowl | Overflow LH bowl | Strainer position LH bowl | Strainer dimension LH bowl |
|---------|--------------|------------------------|--------------------------------|--------------------|-------------------------|------------------|---------------------------|----------------------------|
| LH Bowl | Traditional | 0.7 | 450 x 400 x 210 | 210 | 80 | Yes, traditional | Side bowl | 3.5" |

Technical Features




| | | | |
|--------------------------------|-----------------|---------------------|---------------|
| Frame thickness | 0,7 mm | Tap hole | 1 |
| Frame depth (mm) | 30 | Tap hole diameter | 35 mm |
| Dimensions of the product (mm) | 220x1170x510 mm | Drainer inclination | 2 ° |
| Cutout dimension topmount (mm) | 1140X480 mm | Gasket type | Sealing paste |
| Height from kitchen top | 8 mm | No. of clips | 10 |
| Base unit size | 60 cm | Type of clips | Standard |

Accessories Included

Accessories for
installation

Strainer, Savespace siphon
with dishwasher outlet
connection, Fixing clips,
Gasket



Compatible Accessories



3712

Siphon single bowl sinks (dishwasher connection included)



CB28QU

Single HPL chopping board for minimum radius, oak, measures 280 x 418 H 12 mm



COL19H

St/Steel colander to fit MINIMUM radius mm bowl, measures 200 x 410 x 100 mm



DB34

St/steel drain basket to fit STD radius 340 x 400 bowl, 180 mm depth



KITFD075

Waste disposal 0,75 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



RND1V

Rondò waste kit 1 bowl with standard overflow



CB25MN

Single HPE chopping board to fit minimum radius bowls, black matt, measures 250 x 410 H 12 mm, dishwasher safe



COL19

St/Steel colander to fit MINIMUM radius mm bowl, measures 200 x 410 x 26 mm



COL36

St/steel colander for MINIMUM radius bowls, measures 370 x 410 x 30 mm



KITFD050

Waste disposal 0,5 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



KITFD100




Waste disposal 1 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



STABMIX

Tap stabiliser

Symbols glossary

- | | | | |
|--|--|---|---|
|  | Cupboard width required for sink installation |  | Sink depth - depending on the model, the depth can be from 13 to 24,5 |
|  | Standard installation: Traditional installation in tabletop, suitable for any kitchen sets | | |

Benefit (TT)

One bowl

A single bowl for greater adaptability, capacity and space optimisation

Drainer

The drawer allows dishes, cutlery and kitchen utensils to be placed directly on the sink after washing: excess water can drain into the sink, allowing for natural drying

Tap hole

Possibility of having the tap hole for direct installation of the tap on the sink, for a larger and neater surface area