

SGE116.1D

Sink material Stainless steel Welded sink Type

No. of bowls 1 Drainer Right

EAN code 8017709061654



Aesthetics



Universale Building in type **Aesthetic** Standard Colour Stainless steel Logo **Embossed Finishing** Brushed Tap hole / precut tap 1 Tap hole

hole Series Alba

60 cm

	Bowl type LH	Bowl thickness LH (mm)	Bowl dimensions LH, WxDxA (mm)	LH Bowl depth (mm)	Radius corner left bowl	Overflow LH bowl	Strainer position LH bowl	Strainer dimension LH bowl
LH Bowl	Traditional	0.7	450 x 400 x 210	210	80	Yes, traditional	Side bowl	3.5"

Technical Features



Frame thickness 0.7 mm Tap hole 1 Frame depth (mm) 30 Tap hole diameter 35 mm

Dimensions of the 220x1170x510 mm **Drainer inclination** product (mm) Sealing paste Gasket type

Cutout dimension 1140X480 mm No. of clips 10

topmount (mm)

Type of clips Standard Height from kitchen top 8 mm

Accessories included


Base unit size

SMEG SPA 25/10/2025



Accessories for installation

Strainer, Savespace siphon with dishwasher outlet connection, Fixing clips, Gasket



SMEG SPA 25/10/2025



Compatible Accessories





Siphon single bowl sinks (dishwasher connection included)

CB28QU



Single HPL chopping board for miminum radius, oak, measures 280 x 418 H 12 mm

COL19H



St/Steel colander to fit MINIMUM radius mm bowl, measures 200 x 410 x 100 mm

DB34



St/steel drain basket to fit STD radius 340 x 400 bowl, 180 mm depth

KITFD075



Waste disposal 0,75 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet

RND1V



Rondò waste kit 1 bowl with standard overflow

CB25MN



Single HPE chopping board to fit minimum radius bowls, black matt, measures 250 x 410 H 12 mm, dishwasher safe

COL19



St/Steel colander to fit MINIMUM radius mm bowl, measures 200 x 410 x 26 mm

COL36



St/steel colander for MINIMUM radius bowls, measures 370 x 410 x 30 mm

KITFD050



Waste disposal 0,5 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet

KITFD100



Waste disposal 1 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet

STABMIX



Tap stabiliser

SMEG SPA 25/10/2025



Symbols glossary



Cupboard width required for sink installation.



Sink depth - depending on the model, the depth can be from 13 to 24,5.



Standard installation: Traditional installation in tabletop, suitable for any kitchen sets.

SMEG SPA 25/10/2025