

# SGE116.1S

Sink material Type No. of bowls Drainer EAN code Stainless steel Welded sink 1 Left 8017709061661



# Aesthetics

# 

Aesthetic	Universale	Building in type	Standard
Series	Alba	Logo	Embossed
Colour	Stainless steel	Tap hole / precut tap	1 Tap hole
Finishing	Brushed	hole	

	Bowl type RH	Bowl thickness (mm)	Bowl dimensions, WxDxH (mm)	Bowl depth (mm)	Radius corner right bowl (mm)	Overflow	Strainer position	Strainer dimension
RH Bowl	Traditional	0.7	450 x 400 x 210	210	80	Yes, traditional	Side bowl	3.5"

# **Technical Features**



Frame thickness	0,7 mm	Tap hole	1
Frame depth (mm)	30	Tap hole diameter	35 mm
Dimensions of the	220x1170x510 mm	Drainer inclination	2 °
product (mm)		Gasket type	Sealing paste
Cutout dimension	1140X480 mm	No. of clips	10
topmount (mm)		Type of clips	Standard
Height from kitchen top	8 mm		
Base unit size	60 cm		

# Accessories included



# Accessories for installation

Strainer, Savespace siphon with dishwasher outlet connection, Fixing clips, Gasket





## **Compatible Accessories**



# 3712

Siphon single bowl sinks (dishwasher connection included)

### CB28QU

Single HPL chopping board for miminum radius, oak, measures 280 x 418 H 12 mm



### COL19H

St/Steel colander to fit MINIMUM radius mm bowl, measures 200 x 410 x 100 mm



## DB34

St/steel drain basket to fit STD radius 340 x 400 bowl, 180 mm depth



### KITFD075

Waste disposal 0,75 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



### RND1V

Rondò waste kit 1 bowl with standard overflow





#### CB25MN

Single HPE chopping board to fit minimum radius bowls, black matt, measures 250 x 410 H 12 mm, dishwasher safe

### COL19

St/Steel colander to fit MINIMUM radius mm bowl, measures 200 x 410 x 26 mm

#### COL36

St/steel colander for MINIMUM radius bowls, measures 370 x 410 x 30 mm



### KITFD050

Waste disposal 0,5 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet

### KITFD100

Waste disposal 1 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet

### STABMIX

Tap stabiliser





# Symbols glossary



Cupboard width required for sink installation



Sink depth - depending on the model, the depth can be from13 to 24,5



Standard installation: Traditional installation in tabletop, suitable for any kitchen sets



# Benefit (TT)

#### One bowl

A single bowl for greater adaptability, capacity and space optimisation

#### Drainer

The drawer allows dishes, cutlery and kitchen utensils to be placed directly on the sink after washing: excess water can drain into the sink, allowing for natural drying

#### Tap hole

Possibility of having the tap hole for direct installation of the tap on the sink, for a larger and neater surface area