

SHC590N



Product family	Hood
Hood Type	Integrated hood
Design	Ceiling
Extraction	Recirculation
Perimeter extraction	Yes
Material	Stainless Steel + Glass
Type of steel	Polished
EAN code	8017709275433



Aesthetics

Aesthetic	Universale	Finishing	Glossy
Colour	Stainless steel	Glass Type	Black




Controls

Control setting	Buttons
-----------------	---------

Programs / Functions

No. of speeds	3
Intensive speed	

Technical Features

			No. of lights	2	No. of filters	2
			Light type	LED	Anti-grease filters	Aluminium
			Light Power	1 W	Charcoal filters included	Yes
			Free outlet maximum capacity	830 m³/h	Vent outlet	150 mm
			Motor power	250 W		



Noise level IEC 60704-2-13 [dB(A)]

Intensive speed	830	68
-----------------	-----	----

Performance / Energy Label



Energy efficiency class F
(EEC)

Electrical Connection

Voltage	220-240 V	Frequency (Hz)	50 Hz
---------	-----------	----------------	-------

Optional accessories

Charcoal filter	Yes
-----------------	-----

Symbols glossary (TT)



Filters: Model has filters to help remove grease from the steam emanating from the pans during cooking.



Energy Rating F



Perimeter extraction panels: very efficient and aid noise reduction.



Charcoal filters: Extracting through charcoal filters or directly to the exterior lessens strong cooking odours considerably.



Lights: All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen.



Intensive/turbo setting: when extra fast extraction is required.