

SHC790N



Product family	Hood
Hood Type	Integrated hood
Design	Ceiling
Extraction	Recirculation
Perimeter extraction	Yes
Material	Stainless Steel + Glass
Type of steel	Polished
EAN code	8017709275457
Aesthetic	Universale
Colour	Stainless steel
Finishing	Glossy
Glass Type	Black



Controls

Control setting	Buttons
-----------------	---------

Program / Functions

No. of speeds	3
Intensive speed	

Technical Features



No. of lights	2	No. of filters	2
Light type	LED	Anti-grease filters	Aluminium
Light Power	1 W	Charcoal filters included	Yes
Free outlet maximum capacity	830 m³/h	Vent outlet	150 mm
Motor power	250 W		

	□	Noise level IEC 60704-2-13 [dBA]
Speed 4	830	68
Intensive speed	830	68

Performance / Energy Label

Energy efficiency class F
(EEC)

Electrical Connection

Voltage 220-240 V

Frequency (Hz) 50 Hz

Optional accessories

Charcoal filter Yes

Symbols glossary



Filters: Model has filters to help remove grease from the steam emanating from the pans during cooking.



Lights: All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen.



Intensive/turbo setting: when extra fast extraction is required.



Charcoal filters: Extracting through charcoal filters or directly to the exterior lessens strong cooking odours considerably.



Perimeter extraction panels: very efficient and aid noise reduction.

Benefit (TT)

Dimmering & Tunable lights

Customized lighting with LED lights featuring adjustable intensity and color temperature, from warm to cool tones

Perimetral aspiration

Optimized extraction through the perimeter aspiration system

Perimeter aspiration enhances extraction efficiency by directing vapors along the edges of the panel beneath the filters, optimizing air capture