

SHU600XHN



Product family Hood

Hood Type Integrated hood

DesignCeilingExtractionExtractionElectronic controlYesPerimeter extractionYes

MaterialStainless steelType of steelBrushed

EAN code 8017709287917

Aesthetic Universale
Colour Stainless steel

Finishing Satin
Serigraphy colour Black
Logo Silk screen



Controls

Control setting Buttons

Program / Functions

No. of speeds 4

Technical Features





No. of lights2Motor power190 WLight typeLEDNo. of filters1

Light Power3 WAnti-grease filtersAluminiumFree outlet maximum700 m³/hVent outlet150 mm

capacity

	[]	Noise level IEC 60704-2-13 [dBA]
Speed 4	700	71

Performance / Energy Label

Energy efficieency class F (EEC)



Electrical Connection

Voltage 220-240 V Frequency (Hz) 50 Hz



Symbols glossary



Filters: Model has filters to help remove grease from the steam emanating from the pans during cooking.



Lights: All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen.



Perimeter extraction panels: very efficient and aid noise reduction.



Benefit (TT)

Dimmering & Tunable lights

Customized lighting with LED lights featuring adjustable intensity and color temperature, from warm to cool tones

Perimetral aspiration

Optimized extraction through the perimeter aspiration system

Perimeter aspiration enhances extraction efficiency by directing vapors along the edges of the panel beneath the filters, optimizing air capture